

SUPPLEMENTAL BID BULLETIN

**Republic of the Philippines
PHILIPPINE INTERNATIONAL CONVENTION CENTER
PICC Complex, 1307 Pasay City
BIDS AND AWARDS COMMITTEE (BAC)**

March 28, 2022

**SUPPLY AND DELIVERY OF VARIOUS ELECTRICAL AND ELECTRONICS
SUPPLIES, PARTS AND MATERIALS**

ADDENDUM NO. 01

This Addendum is issued to amend/revise certain provisions of the Bid Documents for the above-captioned procurement. Said amendments are as follows:

- I. Section III- Bid data sheet has been changed to read as:
- ITB Clause: 20.2
 - b. **Sections III and V** of the bid documents, signed on each and every page by the bidder's authorized representative;
 - d. **UL/ETL** Certification of Item No. 26
- II. Section VI- Schedule of Requirements have been changed to read as:
- Lot II (Supply and Delivery of Lighting Materials) – Full delivery within **seventy five (75)** calendar days from the receipt of Notice to Proceed
- III. Section VII- Technical Specifications have been changed to read as:

| Item no. | Qty. | Unit | Specification |
|--|-------------|-------------|--|
| LOT I – SUPPLY AND DELIVERY OF ELECTRICAL MATERIALS | | | |
| 6 | 160 | pc | Plastic Moulding, 1/2", gray or white |
| 7 | 160 | pc | Plastic Moulding, 3/4", gray or white |
| 8 | 110 | pc | Plastic Moulding, 1", gray or white |
| 15 | 4 | pc | Enclosed Circuit Breaker, 75AT/100AF, 3P, 600V, NEMA1, Bolt-on |
| LOT II – SUPPLY AND DELIVERY OF LIGHTING MATERIALS | | | |
| 26 | 220 | pc | LED PAR38, dimmable, minimum 30 watts, 220V AC, E27 base, warm white, 50,000 burning hours UL/ETL Listed |
| 33 | 40 | pc | Metal Halide Capacitor 25 μF \pm10%, 220VAC/60 Hz |
| 35 | 220 | pc | Metal Halide 4-6 watts, E14, warm white, 230V |
| 37 | 220 | pc | LED T5 batten, 2ft, 220V complete connector, 8-12 watts |

| | | | |
|---|---|------|---|
| LOT IV- SUPPLY AND DELIVERY OF ELECTRONIC MATERIALS | | | |
| 57 | 4 | roll | Microphone cable, multicore (100 m/roll) |

Corrected copies are attached. Bidders are advised to replace their original copies with the corrected copies.

For guidance and information of all concerned.


MELPIN A GONZAGA
Chairman



Received by:

(Signature over printed name)
Telephone/Fax No. _____
Date: _____
Name of Company: _____

| | |
|------|---|
| 20.2 | <p>Within a non-extendible period of five (5) calendar days from receipt by the bidder of the notice from the BAC that it submitted the LCB, the Bidder shall submit the following documentary requirements:</p> <ul style="list-style-type: none"> a. Certified Photocopy of the CY 2020 Income and Business Tax Returns filed and paid through the BIR Electronic Filing and Payment System (eFPS); b. <i>Sections III and V</i> of the bid documents, signed on each and every page by the bidder's authorized representative; c. Brochure of the items offered for the following items: <ul style="list-style-type: none"> o Lot I – Item No. 1 o Lot II – Item No. 26 d. <i>UL/ETL</i> Certification of Item No. 26 e. Company Profile with sketch of office location; f. Certificate of Satisfactory Completion & Acceptance of previous PICC projects undertaken within the last three (3) years, if any. |
| 21.2 | No additional requirement |

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item Number | Description | Delivered, Weeks/Months |
|-------------|--|---|
| LOT I | SUPPLY AND DELIVERY OF ELECTRICAL MATERIALS | Full delivery within thirty (30) calendar days from receipt of Notice to Proceed |
| LOT II | SUPPLY AND DELIVERY OF LIGHTING MATERIALS | Full delivery within <i>seventy-five (75)</i> calendar days from receipt of Notice to Proceed |
| LOT III | SUPPLY AND DELIVERY OF WIRES AND CABLES | Full delivery within thirty (30) calendar days from receipt of Notice to Proceed |
| LOT IV | SUPPLY AND DELIVERY OF ELECTRONICS MATERIALS | Full delivery within thirty (30) calendar days from receipt of Notice to Proceed |

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company / Bidder

Signature over printed Name of Authorized Representative

Position

Date

Technical Specifications

| Item | Qty. | Unit | Specification | Statement of Compliance |
|--|------|------|---|-------------------------|
| Lot I - SUPPLY AND DELIVERY OF ELECTRICAL MATERIALS | | | | |
| 1 | 30 | pc | LED Track Light, 7 to 10 watts, 85-265VAC, 60 Hz, warm white, high strength die-cast aluminum housing complete with 10 pcs 1-meter length track bar | |
| 2 | 6 | pc | Battery, 12VDC, 8D | |
| 3 | 82 | pc | Distilled water, 1-liter, for battery | |
| 4 | 110 | pc | Rubber Plug, 2-prong, parallel, heavy duty | |
| 5 | 65 | pc | Lamp Holder, e27, with built-in induction motion sensor switch | |
| 6 | 160 | pc | Plastic Moulding, 1/2", <i>gray or white</i> | |
| 7 | 160 | pc | Plastic Moulding, 3/4", <i>gray or white</i> | |
| 8 | 110 | pc | Plastic Moulding, 1", <i>gray or white</i> | |
| 9 | 55 | pc | Double adhesive foam tape, 0.5" in x 15 ft. | |
| 10 | 60 | pc | EMT pipe, 20mm dia., UL listed | |
| 11 | 70 | pc | EMT coupling, 20mm dia., UL listed | |
| 12 | 41 | pc | EMT straight connector, 20mm dia., UL listed | |
| 13 | 85 | pc | EMT locknut, 20mm dia., UL listed | |
| 14 | 55 | pc | EMT bushing, 20mm dia., UL listed | |
| 15 | 4 | pc | Enclosed Circuit Breaker, 75AT/100AF, 3P, 600V, NEMA1, <i>Bolt-on</i> | |
| 16 | 11 | pc | Metal pull box with cover, 304x304x101mm, GI#16 | |
| 17 | 13 | pc | GI wire #16 | |
| 18 | 11 | pc | Plastic Tox with screw screw, 6mm dia x 2" long (100pcs/box) | |
| 19 | 6 | pc | Cable tie, 10 x 650mm (100pcs/pack) | |
| 20 | 20 | pc | Rags, cotton, round, white | |
| 21 | 200 | pc | Electrical Tape, PVC, 0.16mm x 19mm x 16 m (min.), UL listed | |
| 22 | 200 | pc | Convenience outlet, surface mounted, round/flat combination, 2-gang with ground, 10A, 250V (for extension cord) | |
| 23 | 250 | pc | Convenience outlet, flush mounted, 2-gang, round flat combination with ground, 10A, 250V | |
| 24 | 12 | pc | Magnetic Contactor, 230V coil, 50A, 3pole | |
| 25 | 15 | pc | Timer Switch, 220V, 16A, 24 hr complete with battery | |
| Lot II - SUPPLY AND DELIVERY OF LIGHTING MATERIALS | | | | |
| 26 | 220 | pc | LED PAR38, dimmable, minimum 30watts, 220V AC, 327base, warm white, 50,000 burning hours UL/ <i>ETL</i> Listed | |
| 27 | 25 | pc | Metal Halide Bulb, tubular type, 250watts, E40, daylight | |
| 28 | 15 | pc | Metal Halide Ballast, 250watts | |
| 29 | 230 | pc | Fluorescent tube, T5, Daylight, 8 watts | |
| 30 | 250 | pc | Fluorescent tube, T8, Daylight, 10 watts | |
| 31 | 200 | pc | T5 socket/lamp holder | |
| 32 | 180 | pc | T8 socket/lamp holder | |

| | | | |
|--|-----|------|---|
| 33 | 40 | pc | Metal Halide Capacitor $25\mu F \pm 10\%$, 220VAC/60hz |
| 34 | 40 | pc | Metal Halide/HPS Ignitor, 70 to 400w |
| 35 | 220 | pc | LED bulb, 4-6 watts, E14, warm white, 230V |
| 36 | 220 | pc | LED T5 batten, 1ft, 220V, 4-6w, cool white, complete with connector |
| 37 | 220 | pc | LED T5 batten, 2ft, 220V complete with connector, 8-12 watts |
| 38 | 15 | pc | LED Power supply, 12V, 6A |
| Lot III - SUPPLY AND DELIVERY OF WIRES AND CABLES (BPS Certified) | | | |
| 39 | 3 | roll | Royal Cord, 2 Conductor, AWG #14, 75 m/roll |
| 40 | 5 | roll | Flat Cord, AWG #14, 2C, black, 150m/roll |
| 41 | 10 | roll | Flat Cord, AWG #16, 2C, black, 150m/roll |
| 42 | 6 | roll | Flat Cord, AWG #18, 2C, black, 150m/roll |
| 43 | 5 | roll | THHN Copper Wire, 14mm ² , 150m/roll |
| 44 | 9 | roll | THHN Copper Wire, 3.5mm ² , 150m/roll |
| 45 | 9 | roll | THHN Copper Wire, 2.0mm ² , 150/roll |
| 46 | 6 | roll | TW/TF Wire, AWG #18, Solid, 150m/roll |
| 47 | 6 | roll | TW/TF wire, AWG#16, 150m/roll |
| Lot IV - SUPPLY AND DELIVERY OF ELECTRONICS MATERIALS | | | |
| 48 | 120 | pc | Telephone handset cord, 2m, spiral with RJ9 4p4c connector on both end, white |
| 49 | 12 | box | Gun tacker staple wire, T25, 7/16 11mm, 1000pcs/box |
| 50 | 30 | pack | Cable tie, nylon, 2.5 to 3mm, 6" long, 100pcs/pack |
| 51 | 30 | pack | Cable tie, nylon, 4mm, 12" long, 100pcs/pack |
| 52 | 30 | pack | Cable tie, nylon, 4mm, 8" long, 100pcs/pack |
| 53 | 30 | pack | Cable tie, nylon, 5mm, 12" long, 100pcs/pack |
| 54 | 5 | roll | Soldering lead, 0.8mm dia, 200grams big roll, 2% flux |
| 55 | 5 | roll | Soldering lead, 1mm dia, 200grams big roll, 2% flux |
| 56 | 5 | can | Soldering paste, 50 grams, non corrosive |
| 57 | 4 | roll | Microphone cable, multicore (100m/roll) |
| 58 | 25 | pc | VGA cable, 1.5 meters |
| 59 | 25 | pc | VGA cable, 3 meters |
| 60 | 25 | pc | VGA cable, 5 meters |
| 61 | 530 | pc | RJ9 connector, 4p4c, telephone handset connector, 15 x 11 x 7mm |
| 62 | 200 | pc | Battery, alkaline, size "AA" |
| 63 | 152 | pc | Battery, Alkaline, Size "AAA" |
| 64 | 180 | pc | Battery, Alkaline, 9V |
| 65 | 25 | pc | XLR Connector, male |
| 66 | 25 | pc | XLR Connector, female |
| 67 | 5 | pc | HDMI wireless extender |
| 68 | 5 | pc | HDMI extender thru cat5e/cat6 LAN cable |
| STATEMENT OF COMPLIANCE | | | |
| <i>Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered.</i> | | | |

Note:

Cost Breakdown

| Item No. | Qty. | Unit | Article /Description | Unit Price | Total Amount | Offer brand |
|--|------|------|---|------------|--------------|-------------|
| Lot I - SUPPLY AND DELIVERY OF ELECTRICAL MATERIALS | | | | | | |
| 1 | 30 | pc | LED Track Light, 7 to 10 watts, 85-265VAC, 60 Hz, warm white, high strength die-cast aluminum housing complete with 10 pcs 1-meter length track bar | | | |
| 2 | 6 | pc | Battery, 12VDC, 8D | | | |
| 3 | 82 | pc | Distilled water, 1-liter, for battery | | | |
| 4 | 110 | pc | Rubber Plug, 2-prong, parallel, heavy duty | | | |
| 5 | 65 | pc | Lamp Holder, e27, with built-in induction motion sensor switch | | | |
| 6 | 160 | pc | Plastic Moulding, 1/2", <i>gray/or white</i> | | | |
| 7 | 160 | pc | Plastic Moulding, 3/4", <i>gray or white</i> | | | |
| 8 | 110 | pc | Plastic Moulding, 1", <i>gray or white</i> | | | |
| 9 | 55 | pc | Double adhesive foam tape, 0.5" in x 15 ft | | | |
| 10 | 60 | pc | EMT pipe, 20mm dia., UL listed | | | |
| 11 | 70 | pc | EMT coupling, 20mm dia., UL listed | | | |
| 12 | 41 | pc | EMT straight connector, 20mm dia., UL listed | | | |
| 13 | 85 | pc | EMT locknut, 20mm dia., UL listed | | | |
| 14 | 55 | pc | EMT bushing, 20mm dia., UL listed | | | |
| 15 | 4 | pc | Enclosed Circuit Breaker, 75AT/100AF, 3P, 600V, NEMA1, <i>Bolt-on</i> | | | |
| 16 | 11 | pc | Metal pull box with cover, 304x304x101mm, GI#16 | | | |
| 17 | 13 | pc | GI wire #16 | | | |
| 18 | 11 | pc | Plastic Tox with screw screw, 6mm dia x 2" long (100pcs/box) | | | |
| 19 | 6 | pc | Cable tie, 10 x 650mm (100pcs/pack) | | | |
| 20 | 20 | pc | Rags, cotton, round, white | | | |
| 21 | 200 | pc | Electrical Tape, PVC, 0.16mm x 19mm x 16 m (min.), UL listed | | | |
| 22 | 200 | pc | Convenience outlet, surface mounted, round/flat combination, 2-gang with ground, 10A, 250V (for extension cord) | | | |
| 23 | 250 | pc | Convenience outlet, flush mounted, 2-gang, round flat combination with ground, 10A, 250V | | | |
| 24 | 12 | pc | Magnetic Contactor, 230V coil, 50A, 3pole | | | |
| 25 | 15 | pc | Timer Switch, 220V, 16A, 24 hr complete with battery | | | |
| Sub – total | | | | | | |
| Lot II - SUPPLY AND DELIVERY OF LIGHTING MATERIALS | | | | | | |
| 26 | 220 | pc | LED PAR38, dimmable, minimum 30watts, 220V AC, 327base, warm white, 50,000 burning hours UL/ETL Listed | | | |

| | | | | | | |
|--|-----|------|---|--|--|--|
| 27 | 25 | pc | Metal Halide Bulb, tubular type, 250watts, E40, daylight | | | |
| 28 | 15 | pc | Metal Halide Ballast, 250watts | | | |
| 29 | 230 | pc | Fluorescent tube, T5, Daylight, 8 watts | | | |
| 30 | 250 | pc | Fluorescent tube, T8, Daylight, 10 watts | | | |
| 31 | 200 | pc | T5 socket/lamp holder | | | |
| 32 | 180 | pc | T8 socket/lamp holder | | | |
| 33 | 40 | pc | Metal Halide Capacitor, $25\mu F \pm 10\%$, 220VAC/60hz | | | |
| 34 | 40 | pc | Metal Halide/HPS Ignitor, 70 to 400w | | | |
| 35 | 220 | pc | LED bulb, 4-6 watts, E14, warm white, 230V | | | |
| 36 | 220 | pc | LED T5 batten, 1ft, 220V, 4-6w, cool white, complete with connector | | | |
| 37 | 220 | pc | LED T5 batten, 2ft, 220V complete with connector, 8-12 watts | | | |
| 38 | 15 | pc | LED Power supply, 12V, 6A | | | |
| Sub – total | | | | | | |
| Lot III – SUPPLY AND DELIVERY OF WIRES AND CABLES (offered brand must have PS mark) | | | | | | |
| 39 | 3 | roll | Royal Cord, 2 Conductor, AWG #14, 75 m/roll | | | |
| 40 | 5 | roll | Flat Cord, AWG #14, 2C, black, 150m/roll | | | |
| 41 | 10 | roll | Flat Cord, AWG #16, 2C, black, 150m/roll | | | |
| 42 | 6 | roll | Flat Cord, AWG #18, 2C, black, 150m/roll | | | |
| 43 | 5 | roll | THHN Copper Wire, 14mm ² , 150m/roll | | | |
| 44 | 9 | roll | THHN Copper Wire, 3.5mm ² , 150m/roll | | | |
| 45 | 9 | roll | THHN Copper Wire, 2.0mm ² , 150/roll | | | |
| 46 | 6 | roll | TW/TF Wire, AWG #18, Solid, 150m/roll | | | |
| 47 | 6 | roll | TW/TF wire, AWG#16, 150m/roll | | | |
| Lot IV – SUPPLY AND DELIVERY OF ELECTRONICS MATERIALS | | | | | | |
| 48 | 120 | pc | Telephone handset cord, 2m, spiral with RJ9 4p4c connector on both end, white | | | |
| 49 | 12 | box | Gun tacker staple wire, T25, 7/16 11mm, 1000pcs/box | | | |
| 50 | 30 | pack | Cable tie, nylon, 2.5 to 3mm, 6" long, 100pcs/pack | | | |
| 51 | 30 | pack | Cable tie, nylon, 4mm, 12" long, 100pcs/pack | | | |
| 52 | 30 | pack | Cable tie, nylon, 4mm, 8" long, 100pcs/pack | | | |
| 53 | 30 | pack | Cable tie, nylon, 5mm, 12" long, 100pcs/pack | | | |
| 54 | 5 | roll | Soldering lead, 0.8mm dia, 200grams big roll, 2% flux | | | |
| 55 | 5 | roll | Soldering lead, 1mm dia, 200grams big roll, 2% flux | | | |
| 56 | 5 | can | Soldering paste, 50 grams, non corrosive | | | |

| | | | | | | |
|--------------------|-----|------|---|--|--|--|
| 57 | 4 | roll | Microphone cable, multicore (100m/roll) | | | |
| 58 | 25 | pc | VGA cable, 1.5 meters | | | |
| 59 | 25 | pc | VGA cable, 3 meters | | | |
| 60 | 25 | pc | VGA cable, 5 meters | | | |
| 61 | 530 | pc | RJ9 connector, 4p4c, telephone handset connector, 15 x 11 x 7mm | | | |
| 62 | 200 | pc | Battery, alkaline, size "AA" | | | |
| 63 | 152 | pc | Battery, Alkaline, Size "AAA" | | | |
| 64 | 180 | pc | Battery, Alkaline, 9V | | | |
| 65 | 25 | pc | XLR Connector, male | | | |
| 66 | 25 | pc | XLR Connector, female | | | |
| 67 | 5 | pc | HDMI wireless extender | | | |
| 68 | 5 | pc | HDMI extender thru cat5e/cat6 LAN cable | | | |
| Sub - total | | | | | | |

Prepared by:

Signature over printed name of Authorized Representative

Position

Date