

SUPPLEMENTAL BID BULLETIN

**Republic of the Philippines
PHILIPPINE INTERNATIONAL CONVENTION CENTER
PICC Complex, 1307 Pasay City
BIDS AND AWARDS COMMITTEE (BAC)**

March 28, 2022

SUPPLY AND DELIVERY OF VARIOUS HARDWARE SUPPLIES, PARTS AND MATERIALS

ADDENDUM NO. 01

This Addendum is issued to amend/revise certain provisions of the Bid Documents for the above-captioned procurement. Said amendments are as follows:

- I. Section V- Special Conditions of the Contract have been changed to read as:
- GCC Clause 5- Warranty Period
 - The Warranty period shall be as follows:
 - Lot. I, II, III, IV - 3 months**
 - Lot. V- Item 1-31 - 3 months**
 - Lot. V - Item 32 & 33 - 1 year**
 - Lot. VI - 1 year**
- II. Section VI- Schedule of Requirements have been changed to read as:
- Lot II – Full delivery within **seventy five (75)** calendar days from the receipt of Notice to Proceed
- III. Section VII- Technical Specifications have been changed to read as:

| Item no. | Qty. | Unit | Specification |
|------------------------------------|-------------|--------------|--|
| LOT I – CARPENTRY MATERIALS | | | |
| 1 | 10 | roll | Reflectorized honeycomb tape – Yellow, 2"x 50m |
| 2 | 10 | roll | Reflectorized honeycomb tape – Stripped Black/Yellow, 2"x 50m |
| 5 | 15 | set | Glass door lock, foot lock, heavy duty , Same as existing |
| LOT III– PLUMBING MATERIALS | | | |
| 29 | 40 | pcs | Flexible Hose 1/2" x 1/2" x 14" stainless, heavy duty |
| 99 | 17 | Set | Under Counter Lavatory – Existing HCG L4011 |
| 101 | 2 | Set | Wall-Hung Urinal – Existing HCG U28 |
| LOT IV– METAL MATERIALS | | | |
| 1 | 5 | Pcs | Aluminum Plain Sheet #24 – 4' x 8' |
| 10 | 12 | packs | Rivet 3/16" dia x 1/2", 100pcs/pack |

| | | | |
|------------------------|-----|--------------|---|
| 11 | 12 | packs | Rivet 3/16" dia x 5/16" 100pcs/pack |
| 12 | 6 | packs | Rivet 1/8" dia x 1/4", 100pcs/pack |
| 13 | 6 | packs | Rivet 1/8" dia x 1/2" 100pcs/pack |
| 14 | 130 | Kg | Welding rod 3.2mm dia. #6011 |
| 15 | 50 | Kg | Welding rod 2.5mm dia. #6013 |
| LOT V- PARTS AND TOOLS | | | |
| 22 | 3 | Unit | Industrial Exhaust fan - 16" |
| 24 | 7 | Pair | Welding Gloves - 14" (300-500 AMP) |
| 25 | 4 | Pcs | Rubber Mallet - 900g |
| 26 | 4 | Pcs | Chisel point bit for Chipping Gun - Hex 30mm x 400mm |

Corrected copies are attached. Bidders are advised to replace their original copies with the corrected copies.

For guidance and information of all concerned.


MELPIN A GONZAGA
 Chairman

Received by:

 (Signature over printed name)
 Telephone/Fax No. _____
 Date: _____
 Name of Company: _____

Special Conditions of Contract

| GCC Clause | | | | | | | | | |
|---|--|------------------------------|---|---|-------------------|---|-------------------|---|----------------------|
| 1 | The Procuring Entity is <i>The Philippine International Convention Center (PICC)</i> | | | | | | | | |
| 2.2 | <p>Payment</p> <p style="text-align: center;">Full payment upon complete delivery and submission of the required documents.</p> | | | | | | | | |
| 3 | <p>Performance Security</p> <p>Within ten (10) calendar days from receipt of the Notice of Award, but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the following forms:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Form of Performance Security</th> <th style="text-align: center;">Amount of Performance Security (Equal to Percentage of the Total Contract Price)</th> </tr> </thead> <tbody> <tr> <td>Cash or Cashier's/Manager's Check issued by a Universal or Commercial Bank.</td> <td style="text-align: center;">Five percent (5%)</td> </tr> <tr> <td>Bank draft/guarantee issued by a Universal or Commercial Bank</td> <td style="text-align: center;">Five percent (5%)</td> </tr> <tr> <td>Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.</td> <td style="text-align: center;">Thirty percent (30%)</td> </tr> </tbody> </table> <p>The successful bidder may also opt to submit a performance securing declaration provided that it shall be required to submit any of the aforementioned forms of performance security prior to issuance of the Notice to Proceed</p> | Form of Performance Security | Amount of Performance Security (Equal to Percentage of the Total Contract Price) | Cash or Cashier's/Manager's Check issued by a Universal or Commercial Bank. | Five percent (5%) | Bank draft/guarantee issued by a Universal or Commercial Bank | Five percent (5%) | Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security. | Thirty percent (30%) |
| Form of Performance Security | Amount of Performance Security (Equal to Percentage of the Total Contract Price) | | | | | | | | |
| Cash or Cashier's/Manager's Check issued by a Universal or Commercial Bank. | Five percent (5%) | | | | | | | | |
| Bank draft/guarantee issued by a Universal or Commercial Bank | Five percent (5%) | | | | | | | | |
| Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security. | Thirty percent (30%) | | | | | | | | |
| 4 | <p>Inspection and Tests</p> <p style="text-align: center;">PICC may reject any materials that do not conform to the specifications. The Contractor shall replace such materials to meet the specifications at no cost to PICC.</p> | | | | | | | | |
| 5 | <p>Warranty period</p> <ul style="list-style-type: none"> • The Warranty period shall be as follows: <ul style="list-style-type: none"> <i>Lot. I, II, III, IV – 3 months</i> <i>Lot. V – Items 1-31 – 3 months</i> <i>Lot, V – Items 32 & 33 – 1 year</i> <i>Lot. VI – 1 year</i> | | | | | | | | |

| | |
|---|---|
| | <p>The obligation for the warranty shall be covered by either retention money in an amount equivalent to five percent (5%) of the total contract price, or a special bank guarantee & equivalent to five percent (5%) of the total contract price. (Note: GPPB RES NO. 30-2017.</p> <p>The said amount shall be released after the lapse of the warranty period or after consumption thereof, provided, that the supplies delivered are free from patent and latent defects and all the conditions imposed under the contract have been fully met. For all other items, the warranty is three (3) months.</p> |
| 6 | <p>The period for correction of defects in the warranty period is seven (7) calendar days upon receipt of notice from PICC project-in-charge.</p> |

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item Number | Description | Delivered, Weeks/Months |
|-------------|--|---|
| LOT I | SUPPLY AND DELIVERY OF CARPENTRY AND MASONRY MATERIALS | Full delivery within sixty (60) calendar days from receipt of Notice to Proceed |
| LOT II | SUPPLY AND DELIVERY OF PAINTING AND VARNISHING MATERIALS | Full delivery within <i>seventy-five (75)</i> calendar days from receipt of Notice to Proceed |
| LOT III | SUPPLY AND DELIVERY OF PLUMBING MATERIALS | Full delivery within sixty (60) calendar days from receipt of Notice to Proceed |
| LOT IV | SUPPLY AND DELIVERY OF METAL WORKS MATERIALS | Full delivery within sixty (60) calendar days from receipt of Notice to Proceed |
| LOT V | SUPPLY AND DELIVERY OF PARTS AND TOOLS | Full delivery within sixty (60) calendar days from receipt of Notice to Proceed |
| LOT VI | SUPPLY AND DELIVERY OF FIRE PROTECTION EQUIPMENT | Full delivery within sixty (60) calendar days from receipt of Notice to Proceed |

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company / Bidder

Signature over printed Name of Authorized Representative

Position

Date

Technical Specifications

| Item no. | Qty. | Unit | Specification | Statement of Compliance |
|------------------------------------|------|------|---|-------------------------|
| Lot I – CARPENTRY MATERIALS | | | | |
| 1 | 10 | roll | Reflectorized honeycomb tape – Yellow, 2" x 50m | |
| 2 | 10 | roll | Reflectorized honeycomb tape - Stripped black/yellow, 2" x 50m | |
| 3 | 10 | unit | Door Closer , with hold open, wooden doors Scissor type Max door width: 950mm Max door weight 65kg Operating Angle : 0-105 degree | |
| 4 | 14 | set | Door Lockset ; Lever type; Same as existing Backset 60mm(2-3/8") -/ 70mm(2-3/4") Zinc Alloy Handle Door thickness : 35mm (1-3/8" to 2") Brass core cylinder | |
| 5 | 15 | set | Glass door lock, foot lock, heavy duty, as per sample, <i>same as existing</i> | |
| 6 | 100 | pcs | Acoustic Board, 5/8" x 24" x 48" existing: 1730 fine fissured RH99 | |
| 7 | 20 | pc | Wood Glue 500mg | |
| 8 | 20 | pack | Black Screw #7 x 3/4" (100pc / pack) | |
| 9 | 1 | pack | Black Screw #7 x 1" (100pc / pack) | |
| 10 | 20 | pack | Black Screw #7 x 1-1/2" (100pc / pack) | |
| 11 | 12 | pack | Black Screw #7 x 2" (100pc / pack) | |
| 12 | 30 | set | Decorative Bolt - As per sample | |
| 13 | 3 | pcs | Circular Saw Blade 60 teeth, 10" | |
| 14 | 30 | roll | Cloth tape, yellow 2" x 25m | |
| 15 | 30 | pair | Ball bearing door hinges 3", heavy duty, stainless | |
| 16 | 30 | pair | Ball bearing door hinges 4", heavy duty, stainless | |
| 17 | 30 | pcs | Padlocks, 50mm Long shackles | |
| 18 | 20 | pcs | Fiber Cement board 6mm x 4' x 8' | |
| 19 | 20 | pcs | Narra Plywood 3/4" x 4' x 8' | |
| 20 | 60 | pcs | Lumber 2" x 2" x 10' s4s, kd | |
| 21 | 30 | pcs | Lumber 2" x 3" x 10' s4s, kd | |
| 22 | 10 | box | Vinyl Tiles - Armstrong 12" x 12" x 1/8" thk (45pcs/box) Item number: 51899 - cool white | |
| 23 | 7 | pcs | Diamond Cutting disc 4" | |
| 24 | 2 | pcs | Diamond Cutting disc 7" | |
| 25 | 16 | pcs | Masonry Drill Bit 3/16" | |
| 26 | 20 | pcs | Masonry Drill Bit 1/4" | |
| 27 | 15 | bag | Tile Grout, white, 2kg/bag | |

| | | | |
|--|-----|---------|---|
| 28 | 10 | bag | Tile Grout, Beige, 2kg/bag |
| 29 | 25 | bag | Portland Cement, 40kg/bag |
| 30 | 3 | gal-set | All Purpose Structural Epoxy , A & B, (gal-set) |
| Lot II- PAINTING AND VARNISHING MATERIALS | | | |
| 1 | 200 | gal | Sanding sealer |
| 2 | 150 | roll | Masking Tape 1" |
| 3 | 40 | gal | Paint Thinner Boiling Point/Boiling Range : 162°C Density: 0.78571 Kg/L Organic solvents: 100.00 % Water: not miscible or difficult to mix |
| 4 | 150 | gal | Lacquer Thinner Boiling Point/Boiling Range : 137°C Ignition temperature: 450°C Density: 0.87 g/cm3 |
| 5 | 25 | liter | Latex Color - raw sienna Boiling Point/Boiling Range : 100°C Vapour pressure at 20°C : 23hPa Density: 1.23 - 1.36 Kg/L Organic solvents: 1.60 % Water: 29.70 % Solids content: 67.30 % |
| 6 | 25 | liter | Latex Color - Venetian Red Boiling Point/Boiling Range : 100°C Vapour pressure at 20°C : 23hPa Density: 1.23 - 1.25 Kg/L Organic solvents: 1.80 % Water: 31.60 % Solids content: 66.10 % |
| 7 | 5 | gal | Acrylic Automotive Paint - Lemon Yellow Boiling Point/Boiling Range : 55°C Flash point: -19°C Ignition temperature: 235°C Density: 1 - 1.2 Kg/L Organic solvents: 56.3 % Solids content: 43.7 % |
| 8 | 65 | gal | Oil Wood Stain - maple Surface Dry: Two (2) hours Dry Through: 4-5 hours Dry Film Thickness: 1.5 mils / coat Over-coating Interval: Overnight |
| 9 | 40 | gal | Oil Wood Stain - wall nut Surface Dry: Two (2) hours Dry Through: 4-5 hours Dry Film Thickness: 1.5 mils / coat Over-coating Interval: Overnight |
| 10 | 200 | gal | Flat Latex - White Boiling Point/Boiling Range : 100°C |

| | | | |
|----|----|-------|---|
| | | | Vapour pressure at 20°C : 23hPa Organic solvents: 0.00 % Water: 44.00 % Solids content: 85.9 % |
| 11 | 60 | gal | Semi-gloss Latex - White Vapour pressure at 20°C : 23hPa Organic solvents: 0.07 % Water: 60.00 % |
| 12 | 30 | gal | Automotive Lacquer - Carbon Black Boiling Point/Boiling Range : 55°C Flash point: -19°C Ignition temperature: 235°C Density: 1 - 1.2 Kg/L Organic solvents: 56.3 % Solids content: 43.7 % |
| 13 | 25 | gal | Clear Gloss Emulsion |
| 14 | 20 | gal | Acrytex Primer white |
| 15 | 20 | gal | Acrytex Cast |
| 16 | 10 | gal | Acrytex Reducer |
| 17 | 10 | gal | Acrylic top coat matte |
| 18 | 10 | gal | Acrytex Brick color |
| 19 | 8 | gal | Acrylic Automotive Paint |
| 20 | 25 | liter | Latex Color - raw sienna Boiling Point/Boiling Range : 100°C Vapour pressure at 20°C : 23hPa Density: 1.23 - 1.36 Kg/L Organic solvents: 1.60 % Water: 29.70 % Solids content: 67.30 % |
| 21 | 12 | liter | Latex Color - Lamp Black Boiling Point/Boiling Range : 100°C Vapour pressure at 20°C : 23hPa Density: 1.23 - 1.25 Kg/L Organic solvents: 1.80 % Water: 31.60 % Solids content: 66.10 % |
| 22 | 15 | liter | Latex Color - Lemon Yellow Boiling Point/Boiling Range : 100°C Vapour pressure at 20°C : 23hPa Density: 1.23 - 1.25 Kg/L Organic solvents: 1.80 % Water: 31.60 % Solids content: 66.10 % |
| 23 | 8 | liter | Latex Color - Toluidine Red Boiling Point/Boiling Range : 100°C Vapour pressure at 20°C : 23hPa Density: 1.23 - 1.25 Kg/L Organic solvents: 1.80 % Water: 31.60 % Solids content: 66.10 % |

| | | | |
|-------------------------------------|-----|-------|---|
| 24 | 24 | can | Tinting color - Burnt Umber - 1/4 ltr |
| 25 | 24 | can | Tinting color - Raw Sienna - 1/4 ltr |
| 26 | 10 | gal | Traffic Paint - White |
| 27 | 10 | gal | Traffic Paint - Yellow |
| 28 | 24 | can | Tinting color - Dark Chrome Yellow - 1/4 ltr |
| 29 | 8 | can | Automotive acrylic paint analux for Aluminum Paint |
| 30 | 2 | kg | Red leaf powder |
| 31 | 1 | roll | Floor Sanding/Sand Paper Abrasive, 45.7 Meters #100 |
| 32 | 100 | pcs | Waterproof Sandpaper # 100 ; As per sample |
| 33 | 100 | pcs | Waterproof Sandpaper # 180 ; As per sample |
| 34 | 100 | pcs | Waterproof Sandpaper # 240 ; As per sample |
| 35 | 200 | pcs | Waterproof Sandpaper # 360 ; As per sample |
| 36 | 200 | pcs | Waterproof Sandpaper # 400 ; As per sample |
| 37 | 1 | roll | Plastic Sheet 10' x 90mtr ; 6 mil -As per Sample |
| 38 | 10 | gal | Acylic Reducer |
| 39 | 6 | gal | Acrylic paint white |
| 40 | 6 | gal | Acrylic Thinner |
| 41 | 3 | liter | Acrylic paint color Red |
| 42 | 3 | liter | Acrylic paint color Black |
| 43 | 3 | liter | Acrylic paint color Yellow |
| 44 | 80 | kg | Rags - White, Thin |
| 45 | 100 | gal | Concrete sealer, gloss applicable to stamped concrete |
| LOT III – PLUMBING MATERIALS | | | |
| 1 | 20 | pcs | GI Coupling 1/2" dia. |
| 2 | 5 | pcs | GI Coupling 1-1/2" dia. |
| 3 | 5 | pcs | GI Coupling 1-1/4" dia. |
| 4 | 4 | pcs | GI Coupling 3/4" dia. |
| 5 | 15 | pcs | GI Coupling 2" dia. |
| 6 | 5 | pcs | GI Union Patente 1/2" dia. |
| 7 | 15 | pcs | GI Elbow 2" dia. |
| 8 | 4 | pcs | GI Union Patente 1" dia. |
| 9 | 15 | pcs | GI Union Patente 1-1/2" dia. |
| 10 | 15 | pcs | GI Union Patente 2" dia. |
| 11 | 20 | pcs | GI Nipple 1/2" dia. x 1" |
| 12 | 10 | pcs | GI Nipple 1/2" dia. x 2" |
| 13 | 10 | pcs | GI Nipple 1-1/4" dia. x 1" |
| 14 | 7 | pcs | GI Nipple 1-1/4" dia. x 4" |
| 15 | 7 | pcs | GI Nipple 3/4" dia. x 4" |
| 16 | 7 | pcs | GI Nipple 2" dia. x 2" |
| 17 | 20 | pcs | GI Tee 1/2" dia. |
| 18 | 15 | pcs | GI Tee 3/4" dia. |
| 19 | 20 | pcs | GI Pipe 1/2" dia. x 20' sch. 40 |
| 20 | 10 | pcs | GI Pipe 3/4" dia. x 20' sch. 40 |
| 21 | 6 | pcs | GI Pipe 2" dia. x 20' sch. 40 |
| 22 | 10 | pcs | GI Plug 1/2" dia. |
| 23 | 10 | pcs | GI Plug 3/4" dia. |

| | | | |
|----|-----|------|--|
| 24 | 10 | pcs | GI Plug 1" dia. |
| 25 | 5 | pcs | GI Plug 1-1/2" dia. |
| 26 | 5 | pcs | 3 way angle valve |
| 27 | 15 | pcs | Angle Valve 1/2" x 1/2" |
| 28 | 7 | pcs | Angle Valve 1/2" x 3/8" |
| 29 | 40 | pcs | Flexibile Hose 1/2" x 1/2"x14" stainless, heavy duty |
| 30 | 15 | pcs | Ball Valve 1/2",brass |
| 31 | 15 | pcs | Ball Valve 3/4",brass |
| 32 | 10 | pcs | Ball Valve 1-1/2",brass |
| 33 | 10 | pcs | Ball Valve 2",brass |
| 34 | 300 | roll | Teflon tape 1/2" |
| 35 | 200 | roll | Teflon tape 3/4" |
| 36 | 15 | set | P-trap 1-1/4 , Brass |
| 37 | 40 | set | Pop-up drain 1-1/4" - for Lavatory drain |
| 38 | 30 | set | Faucet as per sample |
| 39 | 30 | set | Toilet Cubicle Lockset |
| 40 | 30 | pcs | Toilet Cubicle towel hook , stainless |
| 41 | 2 | unit | Flexible Garden hose 3/4" x 60ft |
| 42 | 15 | pcs | PVC Pipe 1/2" dia. - water line |
| 43 | 15 | pcs | PVC Pipe 1" dia. - water line |
| 44 | 15 | pcs | PVC Pipe 2" dia. - water line |
| 45 | 15 | pcs | PVC Pipe 3" dia. - water line |
| 46 | 15 | pcs | PVC Pipe 4" dia. - water line |
| 47 | 15 | pcs | PVC Pipe 6" dia. - water line |
| 48 | 15 | pcs | PVC Tee 1/2" dia. |
| 49 | 15 | pcs | PVC Tee 3/4" dia. |
| 50 | 15 | pcs | PVC Tee 1" dia. |
| 51 | 8 | pcs | PVC Tee 2" dia. |
| 52 | 3 | pcs | PVC Wye Reducer 6"dia. X 4" dia, |
| 53 | 9 | pcs | PVC Wye 2"dia. X 2" dia, |
| 54 | 5 | pcs | PVC Wye 4"dia. X 2" dia, |
| 55 | 5 | pcs | PVC Wye 4"dia. X 4" dia, |
| 56 | 15 | pcs | PVC Elbow 2" dia. |
| 57 | 15 | pcs | PVC Elbow 2" dia. , 45 deg. |
| 58 | 10 | pcs | PVC Elbow 3/4" dia. |
| 59 | 3 | pcs | PVC Elbow 6" dia. 45deg. |
| 60 | 3 | pcs | PVC Elbow 6" dia. 90deg. |
| 61 | 10 | pcs | PVC P-trap 2" dia. |
| 62 | 10 | pcs | PPR Pipe 1/2", PN20 x 4m |
| 63 | 10 | pcs | PPR Pipe 3/4", PN20 x 4m |
| 64 | 10 | pcs | PPR Pipe 1", PN20 x 4m |
| 65 | 5 | pcs | PPR Pipe 2", PN20 x 4m |
| 66 | 15 | pcs | PPR Elbow 1/2", 90 deg. |
| 67 | 15 | pcs | PPR Elbow 3/4", 90 deg. |
| 68 | 15 | pcs | PPR Elbow 1", 90 deg. |
| 6 | 15 | pcs | PPR Elbow 2", 90 deg. |
| 70 | 15 | pcs | PPR Tee 1/2" |
| 71 | 15 | pcs | PPR Tee 3/4" |
| 72 | 15 | pcs | PPR Tee 1" |

| | | | |
|---------------------------------------|-----|------|---|
| 73 | 15 | pcs | PPR Tee 2" |
| 74 | 10 | pcs | PPR Elbow 1/2", with thread, female |
| 75 | 10 | pcs | PPR Elbow 3/4", with thread, female |
| 76 | 10 | pcs | PPR Elbow 1", with thread, female |
| 77 | 10 | pcs | PPR adapter female 1/2", with thread |
| 78 | 10 | pcs | PPR adapter female 3/4", with thread |
| 79 | 8 | pcs | PPR adapter female 1", with thread |
| 80 | 7 | pcs | PPR adapter female 2", with thread |
| 81 | 40 | set | Sloan Repair Kit A-19AU |
| 82 | 20 | set | Sloan Repair Kit H-541ASD |
| 83 | 20 | set | Sloan Repair Kit B-50A |
| 84 | 30 | pcs | Sloan Repair Kit A-31 |
| 85 | 30 | set | Sloan Repair Kit V-551 A |
| 86 | 15 | pcs | Sloan Repair Kit G-1017A |
| 87 | 30 | pcs | Sloan Repair Kit A-156AA |
| 88 | 30 | pcs | Sloan Repair Kit G-106 slip disc |
| 89 | 11 | pcs | Bowl wax |
| 90 | 2 | pcs | CI Elbow 2" x 45 deg, hubless |
| 91 | 2 | pcs | CI Elbow 3" x 45 deg, hubless |
| 92 | 10 | unit | Foot Pedal Valve |
| 93 | 10 | can | Solvent PVC cement, 200cc |
| 94 | 20 | can | All around sealant , 1/4 liter per can |
| 95 | 3 | pcs | Water Plug Cement |
| 96 | 2 | can | Hydraulic water-stop cement, 10 lbs |
| 97 | 3 | set | 1 Piece Toilet Bowl - Floor Flange Connection Inclusion: Toilet seat cover floor flange Bowl wax Length :710 Color : :White |
| 98 | 23 | set | Flush Valve type - Water Closet HCG titan #c6811fv - Existing Floor flange installation Inclusion: Toilet seat cover Wax ring Floor Flange |
| 99 | 17 | set | Under Counter Lavatory - <i>Existing HCG L4011</i> |
| 100 | 10 | set | Wall Mounted Lavatory |
| 101 | 2 | set | Wall-Hung Urinal - <i>Existing HCG U28</i> |
| 102 | 20 | pcs | Faucet Hosebib 1/2 |
| 103 | 30 | set | Bidet, High pressure, Stainless steel type 304 |
| 104 | 10 | can | Spray - waterproof and leak repair , 450ml/can |
| LOT IV – METAL WORKS MATERIALS | | | |
| 1 | 5 | pcs | Aluminum Plain Sheet #24 - 4' x 8' |
| 2 | 10 | pcs | BI Pipe 1-1/4". Sched 40 |
| 3 | 10 | pcs | BI Pipe 3/4". Sched 40 |
| 4 | 20 | pcs | BI square tube 20mm x 20mm x 1mm thk x 6m |
| 5 | 150 | pcs | Cut-off Wheel 4" dia x .045" |
| 6 | 40 | pcs | Grinding Disc 4" |

| | | | |
|--------------------------------|-----|--------------|---|
| 7 | 100 | pcs | High Speed Drill Bit 1/8" dia. |
| 8 | 50 | pcs | High Speed Drill Bit 3/16" dia. |
| 9 | 30 | pcs | Metal Stud 2" x 3" x 10' |
| 10 | 12 | <i>packs</i> | Rivet 3/16" dia x 1/2", 100pcs/pack |
| 11 | 12 | <i>packs</i> | Rivet 3/16" dia x 5/16" 100pcs/pack |
| 12 | 6 | <i>packs</i> | Rivet 1/8" dia x 1/4", 100pcs/pack |
| 13 | 6 | <i>packs</i> | Rivet 1/8" dia x 1/2" 100pcs/pack |
| 14 | 130 | kg | Welding rod 3.2mm dia. #6011 |
| 15 | 50 | kg | Welding rod 2.5mm dia. # 6013 |
| LOT 5 – PARTS AND TOOLS | | | |
| 1 | 40 | pcs | Baby roller cotton 4" |
| 2 | 40 | pcs | Paint Roller Foam with handle 7" |
| 3 | 30 | pcs | Paint Brush 1" |
| 4 | 25 | pcs | Paint Brush 2" |
| 5 | 30 | pcs | Paint Brush 2-1/2" |
| 6 | 13 | pcs | Paint Brush 3" |
| 7 | 15 | pcs | Camel Brush 1" |
| 8 | 15 | pcs | Camel Brush 2" |
| 9 | 15 | pcs | Camel Brush 3" |
| 10 | 25 | pcs | Putty knife 3" w/ handle |
| 11 | 30 | pcs | Putty knife 4" |
| 12 | 20 | pcs | Steel Brush 1" x 10" |
| 13 | 5 | pcs | Circular Steel Brush 6" x 1" thk |
| 14 | 3 | unit | Blow Torch for LPG, 25mm nozzle, for LPG |
| 15 | 3 | unit | Blow Torch for LPG, 35mm nozzle, for LPG |
| 16 | 10 | box | Carbon Brush (CB-124 Makita) 2pcs/box |
| 17 | 10 | box | Carbon Brush (CB-419 A Makita) 2pcs/box |
| 18 | 5 | unit | Caulking / Sealant Gun |
| 19 | 2 | pcs | Finishing Trowel |
| 20 | 2 | pcs | Notched Adhesive Trowel |
| 21 | 5 | pcs | Double sided tape, 22mm x 4.6m Super strength |
| 22 | 3 | unit | Industrial Exhaust fan - 16" |
| 23 | 5 | unit | Welding Electrode Holder (300AMP) |
| 24 | 7 | pair | Welding Gloves - 14" (300-500AMP) |
| 25 | 4 | pcs | Rubber Mallet, 900g |
| 26 | 4 | pcs | Chisel point bit for Chipping gun, Hex 30mm x 400mm |
| 27 | 6 | units | Trouble Light, 60W, with Hook, 220-240V, 5m cable |
| 28 | 2 | units | Metal Stud nailless Crimper |
| 29 | 10 | pcs | Toilet Plunger |
| 30 | 3 | unit | Adjustable pipe wrench 10" Heavy Duty |
| 31 | 3 | unit | Cable for K50A (Rigid,mdl. C-8, 16mm dia. X 2.30m) |
| 32 | 1 | unit | Air Compressor 1HP Power: 1HP Phase: 1 Tank Capacity: 76L Pressure: 115psi No. of Cylinder: 2 KW: 75; AMP: 1700 ; Volt: 220 |

| | | | |
|---|-----|-------|---|
| 33 | 1 | unit | Portable Arc welding Machine 350Amp Inverter type Heavy Duty 1yr Warranty |
| LOT 6 – FIRE PROTECTION EQUIPMENT | | | |
| 1 | 190 | tanks | DRY CHEMICAL 10lbs- (Mono-Ammonium Phosphate) Type ABC Brand New (not recondition) Provide 3 tanks sample for random extinguishing 1tank for PIPAC Certificate |
| 2 | 5 | tanks | DRY CHEMICAL 50lbs- (Mono-Ammonium Phosphatfe) Type ABC, with built in trolley Brand New (not recondition) |
| STATEMENT OF COMPLIANCE | | | |
| <p><i>Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered.</i></p> | | | |

Note:

Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

Cost Breakdown

| Item No. | Qty. | Unit | Article /Description | Unit Price | Total Amount |
|------------------------------------|------|------|--|------------|--------------|
| Lot I – CARPENTRY MATERIALS | | | | | |
| 1 | 10 | roll | Reflectorized honeycomb tape – Yellow, 2" x 50m | | |
| 2 | 10 | roll | Reflectorized honeycomb tape - Stripped black/yellow, 2" x 50m | | |
| 3 | 10 | unit | Door Closer , with hold open, wooden doors Scissor type Max door width: 950mm Max door weight 65kg Operating Angle : 0-105 degree | | |
| 4 | 14 | set | Door Lockset ; Lever type; Same as existing Backset 60mm(2-3/8") -/ 70mm(2-3/4") Zinc Alloy Handle Door thickness : 35mm (1-3/8" to 2") Brass core cylinder | | |
| 5 | 15 | set | Glass door lock, foot lock, heavy duty, <i>same as existing</i> | | |
| 6 | 100 | pcs | Acoustic Board, 5/8" x 24" x 48" existing: 1730 fine fissured RH99 | | |
| 7 | 20 | pc | Wood Glue 500mg | | |
| 8 | 20 | pack | Black Screw #7 x 3/4" (100pc / pack) | | |
| 9 | 1 | pack | Black Screw #7 x 1" (100pc / pack) | | |
| 10 | 20 | pack | Black Screw #7 x 1-1/2" (100pc / pack) | | |
| 11 | 12 | pack | Black Screw #7 x 2" (100pc / pack) | | |
| 12 | 30 | set | Decorative Bolt - As per sample | | |
| 13 | 3 | pcs | Circular Saw Blade 60 teeth, 10" | | |
| 14 | 30 | roll | Cloth tape, yellow 2" x 25m | | |
| 15 | 30 | pair | Ball bearing door hinges 3", heavy duty, stainless | | |
| 16 | 30 | pair | Ball bearing door hinges 4", heavy duty, stainless | | |
| 17 | 30 | pcs | Padlocks, 50mm Long shackles | | |
| 18 | 20 | pcs | Fiber Cement board 6mm x 4' x 8' | | |
| 19 | 20 | pcs | Narra Plywood 3/4" x 4' x 8' | | |
| 20 | 60 | pcs | Lumber 2" x 2" x 10' s4s, kd | | |
| 21 | 30 | pcs | Lumber 2" x 3" x 10' s4s, kd | | |
| 22 | 10 | box | Vinyl Tiles - Armstrong 12" x 12" x 1/8" thk (45pcs/box) Item number: 51899 - cool white | | |
| 23 | 7 | pcs | Diamond Cutting disc 4" | | |
| 24 | 2 | pcs | Diamond Cutting disc 7" | | |
| 25 | 16 | pcs | Masonry Drill Bit 3/16" | | |
| 26 | 20 | pcs | Masonry Drill Bit 1/4" | | |
| 27 | 15 | bag | Tile Grout, white, 2kg/bag | | |
| 28 | 10 | bag | Tile Grout, Beige, 2kg/bag | | |

| | | | | | |
|---|-----|---------|---|--|--|
| 29 | 25 | bag | Portland Cement, 40kg/bag | | |
| 30 | 3 | gal-set | All Purpose Structural Epoxy , A & B, (gal-set) | | |
| Sub - total | | | | | |
| Lot II – PAINTING AND VARNISHING MATERIALS | | | | | |
| 1 | 200 | gal | Sanding sealer | | |
| 2 | 150 | roll | Masking Tape 1" | | |
| 3 | 40 | gal | Paint Thinner Boiling Point/Boiling Range : 162°C Density: 0.78571 Kg/L Organic solvents: 100.00 % Water: not miscible or difficult to mix | | |
| 4 | 150 | gal | Lacquer Thinner Boiling Point/Boiling Range : 137°C Ignition temperature: 450°C Density: 0.87 g/cm3 | | |
| 5 | 25 | liter | Latex Color - raw sienna Boiling Point/Boiling Range : 100°C Vapour pressure at 20°C : 23hPa Density: 1.23 - 1.36 Kg/L Organic solvents: 1.60 % Water: 29.70 % Solids content: 67.30 % | | |
| 6 | 25 | liter | Latex Color - Venetian Red Boiling Point/Boiling Range : 100°C Vapour pressure at 20°C : 23hPa Density: 1.23 - 1.25 Kg/L Organic solvents: 1.80 % Water: 31.60 % Solids content: 66.10 % | | |
| 7 | 5 | gal | Acrylic Automotive Paint - Lemon Yellow Boiling Point/Boiling Range : 55°C Flash point: -19°C Ignition temperature: 235°C Density: 1 - 1.2 Kg/L Organic solvents: 56.3 % Solids content: 43.7 % | | |
| 8 | 65 | gal | Oil Wood Stain - maple Surface Dry: Two (2) hours Dry Through: 4-5 hours Dry Film Thickness: 1.5 mils / coat Over-coating Interval: Overnight | | |
| 9 | 40 | gal | Oil Wood Stain - wall nut Surface Dry: Two (2) hours Dry Through: 4-5 hours Dry Film Thickness: 1.5 mils / coat | | |

| | | | Over-coating Interval: Overnight | | |
|----|-----|-------|---|--|--|
| 10 | 200 | gal | Flat Latex - White Boiling Point/Boiling Range : 100°C Vapour pressure at 20°C : 23hPa Organic solvents: 0.00 % Water: 44.00 % Solids content: 85.9 % | | |
| 11 | 60 | gal | Semi-gloss Latex - White Vapour pressure at 20°C : 23hPa Organic solvents: 0.07 % Water: 60.00 % | | |
| 12 | 30 | gal | Automotive Lacquer - Carbon Black Boiling Point/Boiling Range : 55°C Flash point: -19°C Ignition temperature: 235°C Density: 1 - 1.2 Kg/L Organic solvents: 56.3 % Solids content: 43.7 % | | |
| 13 | 25 | gal | Clear Gloss Emulsion | | |
| 14 | 20 | gal | Acrytex Primer white | | |
| 15 | 20 | gal | Acrytex Cast | | |
| 16 | 10 | gal | Acrytex Reducer | | |
| 17 | 10 | gal | Acrylic top coat matte | | |
| 18 | 10 | gal | Acrytex Brick color | | |
| 19 | 8 | gal | Acrylic Automotive Paint | | |
| 20 | 25 | liter | Latex Color - raw sienna Boiling Point/Boiling Range : 100°C Vapour pressure at 20°C : 23hPa Density: 1.23 - 1.36 Kg/L Organic solvents: 1.60 % Water: 29.70 % Solids content: 67.30 % | | |
| 21 | 12 | liter | Latex Color - Lamp Black Boiling Point/Boiling Range : 100°C Vapour pressure at 20°C : 23hPa Density: 1.23 - 1.25 Kg/L Organic solvents: 1.80 % Water: 31.60 % Solids content: 66.10 % | | |
| 22 | 15 | liter | Latex Color - Lemon Yellow Boiling Point/Boiling Range : 100°C Vapour pressure at 20°C : 23hPa Density: 1.23 - 1.25 Kg/L Organic solvents: 1.80 % Water: 31.60 % Solids content: 66.10 % | | |
| 23 | 8 | liter | Latex Color - Toluidine Red Boiling Point/Boiling Range : 100°C Vapour pressure at 20°C : 23hPa Density: 1.23 - 1.25 Kg/L Organic solvents: 1.80 % | | |

| | | | | | |
|-------------------------------------|-----|-------|---|--|--|
| | | | Water: 31.60 % ; Solids content: 66.10 % | | |
| 24 | 24 | can | Tinting color - Burnt Umber - 1/4 ltr | | |
| 25 | 24 | can | Tinting color - Raw Sienna - 1/4 ltr | | |
| 26 | 10 | gal | Traffic Paint - White | | |
| 27 | 10 | gal | Traffic Paint - Yellow | | |
| 28 | 24 | can | Tinting color - Dark Chrome Yellow - 1/4 ltr | | |
| 29 | 8 | can | Automotive acrylic paint analux for Aluminum Paint | | |
| 30 | 2 | kg | Red leaf powder | | |
| 31 | 1 | roll | Floor Sanding/Sand Paper Abrasive, 45.7 Meters #100 | | |
| 32 | 100 | pcs | Waterproof Sandpaper # 100 ; As per sample | | |
| 33 | 100 | pcs | Waterproof Sandpaper # 180 ; As per sample | | |
| 34 | 100 | pcs | Waterproof Sandpaper # 240 ; As per sample | | |
| 35 | 200 | pcs | Waterproof Sandpaper # 360 ; As per sample | | |
| 36 | 200 | pcs | Waterproof Sandpaper # 400 ; As per sample | | |
| 37 | 1 | roll | Plastic Sheet 10' x 90mtr ; 6 mil -As per Sample | | |
| 38 | 10 | gal | Acylic Reducer | | |
| 39 | 6 | gal | Acrylic paint white | | |
| 40 | 6 | gal | Acrylic Thinner | | |
| 41 | 3 | liter | Acrylic paint color Red | | |
| 42 | 3 | liter | Acrylic paint color Black | | |
| 43 | 3 | liter | Acrylic paint color Yellow | | |
| 44 | 80 | kg | Rags - White, Thin | | |
| 45 | 100 | gal | Concrete sealer, gloss applicable to stamped concrete | | |
| | | | Sub - total | | |
| LOT III - PLUMBING MATERIALS | | | | | |
| 1 | 20 | pcs | GI Coupling 1/2" dia. | | |
| 2 | 5 | pcs | GI Coupling 1-1/2" dia. | | |
| 3 | 5 | pcs | GI Coupling 1-1/4" dia. | | |
| 4 | 4 | pcs | GI Coupling 3/4" dia. | | |
| 5 | 15 | pcs | GI Coupling 2" dia. | | |
| 6 | 5 | pcs | GI Union Patente 1/2" dia. | | |
| 7 | 15 | pcs | GI Elbow 2" dia. | | |
| 8 | 4 | pcs | GI Union Patente 1" dia. | | |
| 9 | 15 | pcs | GI Union Patente 1-1/2" dia. | | |
| 10 | 15 | pcs | GI Union Patente 2" dia. | | |
| 11 | 20 | pcs | GI Nipple 1/2" dia. x 1" | | |
| 12 | 10 | pcs | GI Nipple 1/2" dia. x 2" | | |
| 13 | 10 | pcs | GI Nipple 1-1/4" dia. x 1" | | |
| 14 | 7 | pcs | GI Nipple 1-1/4" dia. x 4" | | |
| 15 | 7 | pcs | GI Nipple 3/4" dia. x 4" | | |
| 16 | 7 | pcs | GI Nipple 2" dia. x 2" | | |
| 17 | 20 | pcs | GI Tee 1/2" dia. | | |

| | | | | | |
|----|-----|------|---|--|--|
| 18 | 15 | pcs | GI Tee 3/4" dia. | | |
| 19 | 20 | pcs | GI Pipe 1/2" dia. x 20' sch. 40 | | |
| 20 | 10 | pcs | GI Pipe 3/4" dia. x 20' sch. 40 | | |
| 21 | 6 | pcs | GI Pipe 2" dia. x 20' sch. 40 | | |
| 22 | 10 | pcs | GI Plug 1/2" dia. | | |
| 23 | 10 | pcs | GI Plug 3/4" dia. | | |
| 24 | 10 | pcs | GI Plug 1" dia. | | |
| 25 | 5 | pcs | GI Plug 1-1/2" dia. | | |
| 26 | 5 | pcs | 3 way angle valve | | |
| 27 | 15 | pcs | Angle Valve 1/2" x 1/2" | | |
| 28 | 7 | pcs | Angle Valve 1/2" x 3/8" | | |
| 29 | 40 | pcs | Flexibile Hose 1/2" x 1/2" x 14" stainless, heavy duty | | |
| 30 | 15 | pcs | Ball Valve 1/2",brass | | |
| 31 | 15 | pcs | Ball Valve 3/4",brass | | |
| 32 | 10 | pcs | Ball Valve 1-1/2",brass | | |
| 33 | 10 | pcs | Ball Valve 2",brass | | |
| 34 | 300 | roll | Teflon tape 1/2" | | |
| 35 | 200 | roll | Teflon tape 3/4" | | |
| 36 | 15 | set | P-trap 1-1/4 , Brass | | |
| 37 | 40 | set | Pop-up drain 1-1/4" - for Lavatory drain | | |
| 38 | 30 | set | Faucet as per sample | | |
| 3 | 30 | set | Toilet Cubicle Lockset | | |
| 40 | 30 | pcs | Toilet Cubicle towel hook , stainless | | |
| 41 | 2 | unit | Flexible Garden hose 3/4" x 60ft | | |
| 42 | 15 | pcs | PVC Pipe 1/2" dia. - water line | | |
| 43 | 15 | pcs | PVC Pipe 1" dia. - water line | | |
| 44 | 15 | pcs | PVC Pipe 2" dia. - water line | | |
| 45 | 15 | pcs | PVC Pipe 3" dia. - water line | | |
| 46 | 15 | pcs | PVC Pipe 4" dia. - water line | | |
| 47 | 15 | pcs | PVC Pipe 6" dia. - water line | | |
| 48 | 15 | pcs | PVC Tee 1/2" dia. | | |
| 49 | 15 | pcs | PVC Tee 3/4" dia. | | |
| 50 | 15 | pcs | PVC Tee 1" dia. | | |
| 51 | 8 | pcs | PVC Tee 2" dia. | | |
| 52 | 3 | pcs | PVC Wye Reducer 6"dia. X 4" dia, | | |
| 53 | 9 | pcs | PVC Wye 2"dia. X 2" dia, | | |
| 54 | 5 | pcs | PVC Wye 4"dia. X 2" dia, | | |
| 55 | 5 | pcs | PVC Wye 4"dia. X 4" dia, | | |
| 56 | 15 | pcs | PVC Elbow 2" dia. | | |

| | | | | | |
|----|----|------|--|--|--|
| 57 | 15 | pcs | PVC Elbow 2" dia. , 45 deg. | | |
| 58 | 10 | pcs | PVC Elbow 3/4" dia. | | |
| 59 | 3 | pcs | PVC Elbow 6" dia. 45deg. | | |
| 60 | 3 | pcs | PVC Elbow 6" dia. 90deg. | | |
| 61 | 10 | pcs | PVC P-trap 2" dia. | | |
| 62 | 10 | pcs | PPR Pipe 1/2", PN20 x 4m | | |
| 63 | 10 | pcs | PPR Pipe 3/4", PN20 x 4m | | |
| 64 | 10 | pcs | PPR Pipe 1", PN20 x 4m | | |
| 65 | 5 | pcs | PPR Pipe 2", PN20 x 4m | | |
| 66 | 15 | pcs | PPR Elbow 1/2", 90 deg. | | |
| 67 | 15 | pcs | PPR Elbow 3/4", 90 deg. | | |
| 68 | 15 | pcs | PPR Elbow 1", 90 deg. | | |
| 69 | 15 | pcs | PPR Elbow 2", 90 deg. | | |
| 70 | 15 | pcs | PPR Tee 1/2" | | |
| 71 | 15 | pcs | PPR Tee 3/4" | | |
| 72 | 15 | pcs | PPR Tee 1" | | |
| 73 | 15 | pcs | PPR Tee 2" | | |
| 74 | 10 | pcs | PPR Elbow 1/2", with thread, female | | |
| 75 | 10 | pcs | PPR Elbow 3/4", with thread, female | | |
| 76 | 10 | pcs | PPR Elbow 1", with thread, female | | |
| 77 | 10 | pcs | PPR adapter female 1/2", with thread | | |
| 78 | 10 | pcs | PPR adapter female 3/4", with thread | | |
| 79 | 8 | pcs | PPR adapter female 1", with thread | | |
| 80 | 7 | pcs | PPR adapter female 2", with thread | | |
| 81 | 40 | set | Sloan Repair Kit A-19AU | | |
| 82 | 20 | set | Sloan Repair Kit H-541ASD | | |
| 83 | 20 | set | Sloan Repair Kit B-50A | | |
| 84 | 30 | pcs | Sloan Repair Kit A-31 | | |
| 85 | 30 | set | Sloan Repair Kit V-551 A | | |
| 86 | 15 | pcs | Sloan Repair Kit G-1017A | | |
| 87 | 30 | pcs | Sloan Repair Kit A-156AA | | |
| 88 | 30 | pcs | Sloan Repair Kit G-106 slip disc | | |
| 89 | 11 | pcs | Bowl wax | | |
| 90 | 2 | pcs | CI Elbow 2" x 45 deg, hubless | | |
| 91 | 2 | pcs | CI Elbow 3" x 45 deg, hubless | | |
| 92 | 10 | unit | Foot Pedal Valve | | |
| 93 | 10 | can | Solvent PVC cement, 200cc | | |
| 94 | 20 | can | All around sealant , 1/4 liter per can | | |
| 95 | 3 | pcs | Water Plug Cement | | |

| | | | | | |
|---------------------------------|-----|--------------|---|--|--|
| 96 | 2 | can | Hydraulic water-stop cement, 10 lbs | | |
| 97 | 3 | set | 1 Piece Toilet Bowl - Floor Flange Connection Inclusion: Toilet seat cover floor flange Bowl wax Length :710 Color : :White | | |
| 98 | 23 | set | Flush Valve type - Water Closet HCG titan #c6811fv - Existing Floor flange installation Inclusion: Toilet seat cover Wax ring Floor Flange | | |
| 99 | 17 | set | Under Counter Lavatory – <i>Existing HCG L4011</i> | | |
| 100 | 10 | set | Wall Mounted Lavatory | | |
| 101 | 2 | set | Wall-Hung Urinal – <i>Existing HCG U28</i> | | |
| 102 | 20 | pcs | Faucet Hosebib 1/2 | | |
| 103 | 30 | set | Bidet, High pressure, Stainless steel type 304 | | |
| 104 | 10 | can | Spray - waterproof and leak repair , 450ml/can | | |
| Sub – total | | | | | |
| LOT IV – METAL MATERIALS | | | | | |
| 1 | 5 | pcs | Aluminum Plain Sheet #24 – 4' X 8' | | |
| 2 | 10 | pcs | BI Pipe 1-1/4". sched. 40 | | |
| 3 | 10 | pcs | BI Pipe 3/4". sched 40 | | |
| 4 | 20 | pcs | BI square tube 20mm x 20mm x 1mm thk x 6m | | |
| 5 | 150 | pcs | Cut-off Wheel 4" dia. x .045" | | |
| 6 | 40 | pcs | Grinding Disc 4" | | |
| 7 | 100 | pcs | High Speed Drill Bit 1/8" dia. | | |
| 8 | 50 | pcs | High Speed Drill Bit 3/16" dia. | | |
| 9 | 30 | pcs | Metal Stud 2" x 3" x 10' | | |
| 10 | 12 | <i>packs</i> | Rivet 3/16" dia x 1/2", 100pcs/pack | | |
| 11 | 12 | <i>packs</i> | Rivet 3/16" dia x 5/16" 100pcs/pack | | |
| 12 | 6 | <i>packs</i> | Rivet 1/8" dia x 1/4", 100pcs/pack | | |
| 13 | 6 | <i>packs</i> | Rivet 1/8" dia x 1/2" 100pcs/pack | | |
| 14 | 130 | kg | Welding rod 3.2mm dia. #6011 | | |
| 15 | 50 | kg | Welding rod 2.5mm dia. # 6013 | | |
| Sub – total | | | | | |
| LOT V – PARTS AND TOOLS | | | | | |
| 1 | 40 | pcs | Baby roller cotton 4" | | |
| 2 | 40 | pcs | Paint Roller Foam with handle 7" | | |
| 3 | 30 | pcs | Paint Brush 1" | | |

| | | | | | |
|----|----|-------|---|--------------------|--|
| 4 | 25 | pcs | Paint Brush 2" | | |
| 5 | 30 | pcs | Paint Brush 2-1/2" | | |
| 6 | 13 | pcs | Paint Brush 3" | | |
| 7 | 15 | pcs | Camel Brush 1" | | |
| 8 | 15 | pcs | Camel Brush 2" | | |
| 9 | 15 | pcs | Camel Brush 3" | | |
| 10 | 25 | pcs | Putty knife 3" w/ handle | | |
| 11 | 30 | pcs | Putty knife 4" | | |
| 12 | 20 | pcs | Steel Brush 1" x 10" | | |
| 13 | 5 | pcs | Circular Steel Brush 6" x 1" thk | | |
| 14 | 3 | unit | Blow Torch for LPG, 25mm nozzle, for LPG | | |
| 15 | 3 | unit | Blow Torch for LPG, 35mm nozzle, for LPG | | |
| 16 | 10 | box | Carbon Brush (CB-124 Makita) 2pcs/box | | |
| 17 | 10 | box | Carbon Brush (CB-419 A Makita) 2pcs/box | | |
| 18 | 5 | unit | Caulking / Sealant Gun | | |
| 19 | 2 | pcs | Finishing Trowel | | |
| 20 | 2 | pcs | Notched Adhesive Trowel | | |
| 21 | 5 | pcs | Double sided tape, 22mm x 4.6m Super strength | | |
| 22 | 3 | unit | Industrial Exhaust fan – 16" | | |
| 23 | 5 | unit | Welding Electrode Holder | | |
| 24 | 7 | pair | Welding Gloves – 14" (300-500AMP) | | |
| 25 | 4 | pcs | Rubber Mallet – 900g | | |
| 26 | 4 | pcs | Chisel point bit for Chipping gun – Hex 30mm x 400mm | | |
| 27 | 6 | units | Trouble Light, 60W, with Hook, 220-240V, 5m cable | | |
| 28 | 2 | units | Metal Stud nailless Crimper | | |
| 29 | 10 | pcs | Toilet Plunger | | |
| 30 | 3 | unit | Adjustable pipe wrench 10" Heavy Duty | | |
| 31 | 3 | unit | Cable for K50A (Rigid,mdl. C-8, 16mm dia. X 2.30m) | | |
| 32 | 1 | unit | Air Compressor 1HP Power: 1HP Phase: 1 Tank Capacity: 76L Pressure: 115psi No. of Cylinder: 2 KW: 75; AMP: 1700 ; Volt: 220 | | |
| 33 | 1 | unit | Portable Arc welding Machine 350Amp Inverter type Heavy Duty 1yr Warranty | | |
| | | | | Sub – total | |

| LOT VI – FIRE PROTECTION EQUIPMENT | | | | | |
|------------------------------------|-----|-------|--|--|--|
| 1 | 190 | tanks | DRY CHEMICAL 10lbs- (Mono-Ammonium Phosphate) Type ABC Brand New (not recondition) Provide 3 tanks sample for random extinguishing 1 tank for PIPAC Certificate | | |
| 2 | 5 | tanks | DRY CHEMICAL 50lbs- (Mono-Ammonium Phosphaife) Type ABC, with built in trolley Brand New (not recondition) | | |
| Sub – total | | | | | |

Prepared by:

 Signature over printed name of Authorized Representative

 Position

 Date