

SUPPLEMENTAL BID BULLETIN

**Republic of the Philippines
PHILIPPINE INTERNATIONAL CONVENTION CENTER
PICC Complex, 1307 Pasay City
BIDS AND AWARDS COMMITTEE (BAC)**

February 7, 2023

**SUPPLY OF LABOR AND MATERIALS FOR THE REPLACEMENT OF PEBBLE
WASHOUT AT LOADING DOCK AND REPAIR OF THE WATERPROOFING
MEMBRANE OF THE REFLECTING POND AT PLENARY AND RECEPTION
HALLS**

ADDENDUM NO. 01

This Addendum is issued to amend/revise certain provisions of the Bid Documents for the above-captioned procurement. Said amendments are as follows:

I. Section I- Invitation to Bid has been changed to read as:

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before **February 21, 2023 at 9:30**. Late bids shall not be accepted
- 9. Bid opening shall be on **February 21, 2023, 10:00 am** at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

II. Section III- Bid Data Sheet has been changed to read as:

- ITB Clause 10.4
 - 1-Fulltime Project-in-Charge
 - Must have at least five (5) years' experience as Supervisor and/or Installer in PVC/HDPE membrane waterproofing works and civil works. Must have a Certificate of employment as Supervisor **and/or** Installer in the installation of waterproofing system.
- ITB Clause 17.1
 - The date and time of bid opening is **February 21, 2023 at 10:00 a.m.**

III. Section VI- Specifications have been changed to read as:

- 4. Replacement of pebbles washout on the loading dock of Reception Hall and Plenary Hall (additional condition):
 - **Demolished pebble shall be properly stocked so as not to be an eyesore in the area. Demolished pebble/concrete shall be placed in sacks.**

Corrected copies are attached. Bidders are advised to replace their original copies with the corrected copies.

For guidance and information of all concerned.


MELPIN A GONZAGA
Chairman

Received by:

(Signature over printed name)
Telephone/Fax No. _____
Date: _____
Name of Company: _____

BIDS AND AWARDS COMMITTEE

Invitation to Bid for Supply of Labor and Materials for the Replacement of Pebble Washout at the Loading Dock and Repair of the Waterproofing Membrane of the Reflecting Pond at Plenary and Reception Halls

1. The *Philippine International Convention Center (PICC)*, through the *Approved Budget for CY 2023* intends to apply the sum of **EIGHT MILLION SEVEN HUNDRED FORTY-FIVE THOUSAND FIVE HUNDRED SIXTY-FOUR PESOS AND NINETY-THREE CENTAVOS (Php8,745,564.93)**, VAT Inclusive, being the Approved Budget for the Contract (ABC) to payments under the contract for **Supply of Labor and Materials for the Replacement of Pebble Washout at the Loading Dock and Repair of the Waterproofing Membrane of the Reflecting Pond at Plenary and Reception Halls (APP No. 2023 – MC - 13)**. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The *PICC* now invites bids for the above Procurement Project. Completion of the Works is required within one hundred fifty (150) CALENDAR DAYS. Bidders should have completed a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using non-discretionary “*pass/fail*” criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
4. Prospective Bidders may obtain further information from the *PICC-BAC* and inspect the Bidding Documents at the address given below during office hours.
5. A complete set of Bidding Documents may be acquired by prospective bidders starting February 25, 2023 from the given address and website/s below *and upon payment of a non-refundable fee, in the amount of Nine Thousand Pesos (Php9,000.00)*. A bidder shall present its proof of payment for the fee *by furnishing the PICC-BAC a copy of the Official Receipt*.
6. The *PICC-BAC* will hold a Pre-Bid Conference on February 2, 2023, *at 10:00 a.m.*, at *Meeting Room 10, 3rd Floor, Delegation Building, PICC* and/or through videoconferencing/webcasting *via Zoom/Google Meet*, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat through manual submission at the office address as indicated below, on or before February 21, 2023, *at 9:30 a.m.* Late bids shall not be accepted.
8. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB Clause 15**.

9. Bid opening shall be on February 21, 2023 at 10:00 a.m. at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. The PICC reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised Implementing Rules and Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:

*BIDS AND AWARDS COMMITTEE
PHILIPPINE INTERNATIONAL CONVENTION CENTER
PICC Complex, Pasay City 1307
87894759 and 87894760
Telefax No. 87894761
Email: procurement@picc.gov.ph*

12. You may visit the following websites:

For downloading of Bidding Documents: www.picc.gov.ph

ORIGINAL SIGNED
MELPIN A. GONZAGA
Chairman

Bid Data Sheet

ITB Clause									
5	<p>The following persons shall be eligible to participate in this bidding:</p> <ul style="list-style-type: none"> • Duly Licensed Filipino citizens/sole proprietorships; • Partnerships duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the interest belongs to citizens of the Philippines; • Corporations duly organized under the laws of the Philippines, and of which at least sixty percent (60%) of the outstanding capital stocks belongs to citizens of the Philippines; • Cooperative duly organized under the laws of the Philippines, and of which at least sixty percent (60%) interest belongs to the citizens of the Philippines; • Must have at least five (5) years' work experience in PVC Membrane/HDPE material waterproofing works. 								
5.2	<p>The Bidder must have completed within five (5) years from the date of bidding, a single contract that is similar to this requirement, the amount of which shall be at least fifty percent (50%) of the ABC.</p> <p>For this purpose, contracts similar to the Project refer to contracts involving waterproofing works.</p>								
7.1	Subcontracting is not allowed.								
10.3	The Contractor shall be PCAB licensed with a classification of General Building, "D" category and specialty in waterproofing works (SP-WP), with at least five (5) years' work experience in PVC Membrane/HDPE material waterproofing works. .								
10.4	<p>The key personnel must meet the required minimum years of experience set below:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Key Personnel</th> <th style="text-align: center;">Relevant Experience</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1 – Fulltime Project-in-Charge</td> <td>Must have at least five (5) years' experience as Supervisor and/or Installer in PVC/HDPE membrane waterproofing works and civil works. Must have a Certificate of employment as Supervisor <i>and/or</i> in the installation of the waterproofing system.</td> </tr> <tr> <td style="text-align: center;">2 – PVC/HDPE waterproofing membrane installer</td> <td>Minimum of three (3) years' work experience as installer of waterproofing membrane.</td> </tr> <tr> <td style="text-align: center;">1 – Safety Officer</td> <td>Minimum of three (3) years' work experience as Safety Officer/Practitioner. Must have Certificate of employment as Safety Officer and Certificate of training in Occupational Safety and Health from DOLE or any DOLE accredited training institution.</td> </tr> </tbody> </table>	Key Personnel	Relevant Experience	1 – Fulltime Project-in-Charge	Must have at least five (5) years' experience as Supervisor and/or Installer in PVC/HDPE membrane waterproofing works and civil works. Must have a Certificate of employment as Supervisor <i>and/or</i> in the installation of the waterproofing system.	2 – PVC/HDPE waterproofing membrane installer	Minimum of three (3) years' work experience as installer of waterproofing membrane.	1 – Safety Officer	Minimum of three (3) years' work experience as Safety Officer/Practitioner. Must have Certificate of employment as Safety Officer and Certificate of training in Occupational Safety and Health from DOLE or any DOLE accredited training institution.
Key Personnel	Relevant Experience								
1 – Fulltime Project-in-Charge	Must have at least five (5) years' experience as Supervisor and/or Installer in PVC/HDPE membrane waterproofing works and civil works. Must have a Certificate of employment as Supervisor <i>and/or</i> in the installation of the waterproofing system.								
2 – PVC/HDPE waterproofing membrane installer	Minimum of three (3) years' work experience as installer of waterproofing membrane.								
1 – Safety Officer	Minimum of three (3) years' work experience as Safety Officer/Practitioner. Must have Certificate of employment as Safety Officer and Certificate of training in Occupational Safety and Health from DOLE or any DOLE accredited training institution.								

10.5	<p>The minimum major equipment required to the project:</p> <table border="1" data-bbox="424 253 1386 483"> <thead> <tr> <th data-bbox="424 253 568 331">Item No.</th> <th data-bbox="568 253 807 331">Number of Units</th> <th data-bbox="807 253 1386 331">Description of Equipment</th> </tr> </thead> <tbody> <tr> <td data-bbox="424 331 568 421">1.</td> <td data-bbox="568 331 807 421">2 – units</td> <td data-bbox="807 331 1386 421">Automatic Hand Welding Gun for HDPE Membrane</td> </tr> <tr> <td data-bbox="424 421 568 483">2.</td> <td data-bbox="568 421 807 483">2 – units</td> <td data-bbox="807 421 1386 483">Chipping gun</td> </tr> </tbody> </table>	Item No.	Number of Units	Description of Equipment	1.	2 – units	Automatic Hand Welding Gun for HDPE Membrane	2.	2 – units	Chipping gun
Item No.	Number of Units	Description of Equipment								
1.	2 – units	Automatic Hand Welding Gun for HDPE Membrane								
2.	2 – units	Chipping gun								
12	Not applicable.									
15.1	<p>The bid security shall be in the form of a Bid Securing Declaration or any of the following forms and amounts:</p> <p>a. In the amount of not less than ₱174,911.30, Cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit;</p> <p>b. Surety Bond in the amount of not less than ₱437,278.25.</p>									
15.2	The bid security shall be valid until <i>One Hundred Twenty (120) calendar days from the date of submission and opening of bids.</i>									
16	<p>Sealing and Marking of Bids</p> <p>Each Bidder shall submit the original and one (1) copy of the first and second components of its Bid.</p>									
16.1	<p>The address for submission of bids is:</p> <p style="text-align: center;">PICC-Bids and Awards Committee (BAC) Secretariat Ground floor, Delegation Building PICC Complex, 1307 Pasay City</p> <p>The deadline for submission of bids is February 21, 2023 at 9:30 a.m.</p>									
17.1	<p>The place of bid</p> <p style="text-align: center;">BAC CONFERENCE ROOM MR10, 3rd Floor, Delegation Building PICC Complex, 1307 Pasay City</p> <p>The date and time of bid opening is February 21, 2023 at 10:00 a.m.</p> <p>In case the Bids cannot be opened as scheduled due to justifiable reasons, the BAC shall take custody of the Bids submitted and the opening of Bids shall be at 2:00 p.m. of the next working day.</p>									
19.2	Not Applicable.									

SUPPLY OF LABOR AND MATERIALS FOR THE REPLACEMENT OF PEBBLE WASHOUT AT LOADING DOCK AND REPAIR OF THE WATERPROOFING MEMBRANE OF THE REFLECTING POND AT PLENARY AND RECEPTION HALL

I. SCOPE OF WORKS and SPECIFICATIONS:

The works shall be supply of all materials, labor, tools, equipment and other incidental necessary for replacement of pebble washout at loading dock and repair of the waterproofing membrane of the reflecting pond at Plenary and Reception Hall.

The following features of the work shall be performed, but not limited to the following:

1. Mobilization

Manpower, tools, equipment and temporary warehouse.

2. Health and Safety requirements

- a. Installation of two (2) - safety signage per area, same as the PICC standard signage, 22" x 32" per area.
- b. Provide portable fire extinguishers, at least two (2) units per location, and other fire extinguishing materials.
- c. Personal Protective Equipment (PPE). The Contractor shall comply with the requirements under DPWH and DOH (protocol against COVID-19). All workers shall wear their company uniform together with the required.

3. Repair of waterproofing membrane of reflecting pond:

- Clearing/site preparation by removing the stones to check the damage of the existing membrane.
- Use the same existing materials for the repair of waterproofing membrane.
- Damaged waterproofing membrane shall be heat weld with Hand Held Welding Machine.
- Replacement of termination bars, screws and application of sealant.
- See attached plans for details. Verify the actual condition of the existing waterproofing membrane and terminations bars. Provide new termination bars at new Fire Exits.

4. Replacement of pebbles washout on the loading dock of Reception Hall and Plenary Hall:

- *Demolished pebble shall be properly stocked so as not to be an eyesore in the area. Demolished pebble/concrete shall be placed in sacks.*
- Removal of existing pebbles washout.
- Installation of new pebbles washout.
- Submit 1 ft. x 1ft. sample of pebbles washout for approval.
- Application of water repellent on the new pebble washout.
- See attached plan. Verify actual dimension of the loading dock.
- Repainting of the existing steel railings.