

SUPPLEMENTAL BID BULLETIN

**Republic of the Philippines
PHILIPPINE INTERNATIONAL CONVENTION CENTER
PICC Complex, 1307 Pasay City
BIDS AND AWARDS COMMITTEE (BAC)**

May 11, 2023

SUPPLY AND DELIVERY OF VARIOUS MECHANICAL SUPPLIES, PARTS, AND MATERIALS

ADDENDUM NO. 01

This Addendum is issued to amend/revise certain provisions of the Bid Documents for the above-captioned procurement. Said amendments are as follows:

I. Section VII- Technical Specifications have been changed to read as:

Item No.	Qty.	Unit	Article /Description	Unit Price	Total Amount	Offer brand
Lot I – EQUIPMENT CONTROL COMPONENTS						
1	1	Unit	CONTROL TRANSFORMER, INPUT VOLTAGE 240/480V, OUTPUT VOLTAGE 120/240V, CAPACITY 250VA, 1-PHASE, 60HZ, CLASS 1			
2	2	Unit	RELAY, AS PER SAMPLE			
3	2	Unit	CIRCUIT BREAKER, AS PER SAMPLE			
4	2	Unit	MAGNETIC CONTACTOR, AS PER SAMPLE			
5	2	Pail	BEARING FOR THE PUMP, AS PER SAMPLE			
6	2	Unit	BEARING FOR THE DRIVE MOTOR, AS PER SAMPLE			
7	2	Unit	CHAIN COUPLING FOR DRIVE MOTOR AND PUMP, AS PER SAMPLE			
			<i>DAIKIN VRV III SERIES - FOR ACCU MODEL RXYQ18PTL</i>			
8	6	Unit	SCROLL COMPRESSOR JT100G (INVERTER COMPRESSOR) MC1			
9	6	Unit	SCROLL COMPRESSOR JT170G-K (STANDARD COMPRESSOR) MC2/MC3			
10	10	Unit	PRINTED CIRCUIT BOARD (INVERTER) A2P			
11	10	Unit	INVERTER ASSEMBLY (FAN DRIVE) A5P			
12	10	Unit	PRINTED CIRCUIT ASSEMBLY (MAIN) A1P			
13	10	Unit	MAGNETIC CONTACTOR KM2/KM3, AS PER SAMPLE			
14	10	Unit	THERMISTOR ASSEMBLY R2/4/5/6/7T			
15	10	Unit	THERMISTOR ASSEMBLY MC1-3C DISCHARGE			
16	6	Unit	HIGH PRESSURE SENSOR S1NPH			
17	6	Unit	COIL / FOUR-WAY VALVE Y3S			
18	6	Unit	LOW PRESSURE SENSOR S1NPL			
19	6	Unit	BODY / MOTOR OPERATED VALVE (MAIN) Y1E			
20	6	Unit	HIGH PRESSURE SWITCH S1/2/3PH			
21	10	Unit	AIR THERMISTOR R1T			

22	8	Unit	DC FAN MOTOR M1F / M2F			
23	7	Unit	REFRIGERANT FILTER			
24	16	Unit	PROPELLER FAN			
			<i>DAIKIN VRV III SERIES - FOR ACCU MODEL RXYQ16PTL</i>			
25	4	Unit	SCROLL COMPRESSOR JT100G (INVERTER COMPRESSOR) MC1			
26	4	Unit	SCROLL COMPRESSOR JT170G-K (STANDARD COMPRESSOR) MC2/MC3			
27	6	Unit	PRINTED CIRCUIT BOARD (INVERTER) A2P			
28	6	Unit	INVERTER ASSEMBLY (FAN DRIVE) A5P			
29	6	Unit	PRINTED CIRCUIT ASSEMBLY (MAIN) A1P			
30	4	Unit	MAGNETIC CONTACTOR KM2/KM3, AS PER SAMPLE			
31	4	Unit	THERMISTOR ASSEMBLY R2/4/5/6/7T			
32	4	Unit	THERMISTOR ASSEMBLY MC1-3C DISCHARGE			
33	4	Unit	HIGH PRESSURE SENSOR S1NPH			
34	4	Unit	COIL / FOUR-WAY VALVE Y3S			
35	4	Unit	LOW PRESSURE SENSOR S1NPL			
36	4	Unit	BODY / MOTOR OPERATED VALVE (MAIN) Y1E			
37	4	Unit	HIGH PRESSURE SWITCH S1/2/3PH			
38	4	Unit	AIR THERMISTOR R1T			
39	4	Unit	DC FAN MOTOR M1F / M2F			
40	4	Unit	REFRIGERANT FILTER			
41	4	Unit	PROPELLER FAN			
			<i>DAIKIN VRV III SERIES - FOR ACCU MODEL RXYQ14PTL</i>			
42	4	Unit	SCROLL COMPRESSOR JT100G (INVERTER COMPRESSOR) MC1			
43	4	Unit	SCROLL COMPRESSOR JT170G-K (STANDARD COMPRESSOR) MC2/MC3			
44	6	Unit	PRINTED CIRCUIT BOARD (INVERTER) A2P			
45	6	Unit	INVERTER ASSEMBLY (FAN DRIVE) A5P			
46	6	Unit	PRINTED CIRCUIT ASSEMBLY (MAIN) A1P			
47	4	Unit	MAGNETIC CONTACTOR KM2/KM3, AS PER SAMPLE			
48	4	Unit	THERMISTOR ASSEMBLY R2/4/5/6/7T			
49	4	Unit	THERMISTOR ASSEMBLY MC1-3C DISCHARGE			
50	4	Unit	HIGH PRESSURE SENSOR S1NPH			
51	4	Unit	COIL / FOUR-WAY VALVE Y3S			
52	4	Unit	LOW PRESSURE SENSOR S1NPL			
53	4	Unit	BODY / MOTOR OPERATED VALVE (MAIN) Y1E			
54	4	Unit	HIGH PRESSURE SWITCH S1/2/3PH			
55	4	Unit	AIR THERMISTOR R1T			
56	4	Unit	DC FAN MOTOR M1F / M2F			
57	4	Unit	REFRIGERANT FILTER			
58	4	Unit	PROPELLER FAN			
			<i>DAIKIN VRV III SERIES - FOR ACCU MODEL RXYQ12PTL</i>			
59	4	Unit	SCROLL COMPRESSOR JT100G (INVERTER COMPRESSOR) MC1			
60	4	Unit	SCROLL COMPRESSOR JT170G-K (STANDARD COMPRESSOR) MC2/MC3			
61	6	Unit	PRINTED CIRCUIT BOARD (INVERTER) A2P			
62	6	Unit	INVERTER ASSEMBLY (FAN DRIVE) A5P			
63	6	Unit	PRINTED CIRCUIT ASSEMBLY (MAIN) A1P			
64	4	Unit	MAGNETIC CONTACTOR KM2/KM3, AS PER SAMPLE			
65	4	Unit	THERMISTOR ASSEMBLY R2/4/5/6/7T			
66	4	Unit	THERMISTOR ASSEMBLY MC1-3C DISCHARGE			

67	4	Unit	HIGH PRESSURE SENSOR S1NPH			
68	4	Unit	COIL / FOUR-WAY VALVE Y3S			
69	4	Unit	LOW PRESSURE SENSOR S1NPL			
70	4	Unit	BODY / MOTOR OPERATED VALVE (MAIN) Y1E			
71	4	Unit	HIGH PRESSURE SWITCH S1/2/3PH			
72	4	Unit	AIR THERMISTOR R1T			
73	4	Unit	DC FAN MOTOR M1F / M2F			
74	4	Unit	REFRIGERANT FILTER			
75	4	Unit	PROPELLER FAN			
			<i>DAIKIN VRV III SERIES - FOR ACCU MODEL RXYQ10PTL</i>			
76	4	Unit	SCROLL COMPRESSOR JT100G (INVERTER COMPRESSOR) MC1			
77	4	Unit	PRINTED CIRCUIT BOARD (INVERTER) A2P			
78	4	Unit	INVERTER ASSEMBLY (FAN DRIVE) A5P AS PER SAMPLE			
79	4	Unit	PRINTED CIRCUIT ASSEMBLY (MAIN) A1P			
80	4	Unit	THERMISTOR ASSEMBLY R2/4/5/6/7T			
81	4	Unit	THERMISTOR ASSEMBLY MC1-3C DISCHARGE			
82	4	Unit	HIGH PRESSURE SENSOR S1NPH			
83	4	Unit	COIL / FOUR-WAY VALVE Y3S			
84	4	Unit	LOW PRESSURE SENSOR S1NPL			
85	4	Unit	BODY / MOTOR OPERATED VALVE (MAIN) Y1E			
86	4	Unit	HIGH PRESSURE SWITCH S1/2/3PH			
87	4	Unit	AIR THERMISTOR R1T			
88	4	Unit	DC FAN MOTOR M1F / M2F			
89	4	Unit	REFRIGERANT FILTER			
90	4	Unit	PROPELLER FAN			
			<i>DAIKIN VRV III SERIES - FOR ACCU MODEL RXYQ8PTL</i>			
91	4	Unit	SCROLL COMPRESSOR JT100G (INVERTER COMPRESSOR) MC1			
92	4	Unit	PRINTED CIRCUIT BOARD (INVERTER) A2P			
93	4	Unit	INVERTER ASSEMBLY (FAN DRIVE) A5P			
94	4	Unit	PRINTED CIRCUIT ASSEMBLY (MAIN) A1P AS PER SAMPLE			
95	4	Unit	THERMISTOR ASSEMBLY R2/4/5/6/7T			
96	4	Unit	THERMISTOR ASSEMBLY MC1-3C DISCHARGE			
97	4	Unit	HIGH PRESSURE SENSOR S1NPH			
98	4	Unit	COIL / FOUR-WAY VALVE Y3S			
99	4	Unit	LOW PRESSURE SENSOR S1NPL			
100	4	Unit	BODY / MOTOR OPERATED VALVE (MAIN) Y1E			
101	4	Unit	HIGH PRESSURE SWITCH S1/2/3PH			
102	4	Unit	AIR THERMISTOR R1T			
103	4	Unit	DC FAN MOTOR M1F / M2F			
104	4	Unit	REFRIGERANT FILTER			
105	4	Unit	PROPELLER FAN			
				Sub - total		
Lot II - YORK CHILLERS CONSUMABLE MATERIALS						
1	1	Kit	SILICON CONTROLLED RECTIFIER (SCR), PN 371-01184D334-D			
2	1	Unit	POWER SUPPLY BOARD; 031-01080-000			
3	1	Unit	CONTROL LOGIC BOARD; 031-00936-003			
4	1	Unit	CONTROL TRIGGER BOARD; 371-0145-002			
5	6	Pail	YORK "S " OIL or ALTERNATIVES			
6	2	Unit	TRANSDUCER, EVAPORATOR; 025-29148-102			

7	2	Unit	CONTACTOR WITH ON-DELAY TIMER & OVERLOAD RELAY, BRAND: ALLEN BRADLEY, MODEL: 100-A24NG3 (AS PER SAMPLE)			
8	6	Set	PILLOW BLOCK BEARING GN-203 KLLB			
9	3	Unit	TRANSITION TIMER; MODEL 7012 AC COIL 120V/60HZ, RANGE 1.5-15SCC, BRAND: AGASTAT (AS PER SAMPLE)			
Sub – total						
Lot III – AIRCONDITIONING CONSUMABLES						
1	1000	Kilo	REFRIGERANT 22			
2	50	Kilo	REFRIGERANT 32 (10kg capacity/tank)			
3	136	Kilo	REFRIGERANT 134A (13.6kg capacity/tank)			
4	226	Kilo	REFRIGERANT 410A (11.3kg capacity/tank)			
5	40	Unit	FCU AIR DEFLECTORS AS PER SAMPLE			
6	30	Unit	RUBBER INSULATION, 3/8" dia. x 1" thk x 6 ft.			
7	30	Unit	RUBBER INSULATION, 1/2" dia. x 1" thk x 6 ft.			
8	70	Unit	RUBBER INSULATION, 5/8" dia. x 1" thk x 6 ft.			
9	30	Unit	RUBBER INSULATION, 3/4" dia. x 1" thk x 6 ft.			
10	30	Unit	RUBBER INSULATION, 7/8" dia. x 1" thk x 6 ft.			
11	70	Unit	RUBBER INSULATION, 1 1/8" dia. x 1" thk x 6 ft.			
12	30	Unit	RUBBER INSULATION, 1 3/8" dia. x 1" thk x 6 ft.			
13	30	Unit	RUBBER INSULATION, 1 5/8" dia. x 1" thk x 6 ft.			
14	100	Roll	SELF-ADHESIVE EPDM FOAM TAPE, brand "AEROTAPE" or equivalent, Size 3mm. Thick x 50mm. Width 9.1m. Roll (1/8" Thick x 2" Width x 30 feet Roll)			
15	4	Unit	FCU PORTABLE DRAIN PUMP, brand KING PUMP or equivalent			
16	100	Roll	POLYETHYLENE TAPE WHITE, SIZE 4"			
Sub – total						
Lot IV – SEWAGE TREATMENT PLANT CONSUMABLES						
1	120	Liter	CHLORINE, 7% HYPOCHLORITE SOLUTION			
2	10	Gal	MULTI-PURPOSE CLEANING AGENT, LIQUID SOAP, 1 GALLON			
3	10	Kilo	MULTI PURPOSE ROUND RAGS			
4	2	Pail	GEAR OIL, SHELL OMALA S2 G 220, 5 GALLON PAIL FOR STP BLOWER (as per sample)			
5	6	Can	PENETRATING OIL, WD-40, 382 ML			
6	4	Gal	EPOXY ENAMEL PAINT, GRAY COLOR			
7	4	Gal	ELASTOMERIC PAINT, ODOURLESS, WHITE			
8	2	Set	ALL PURPOSE EPOXY, SET A&B, 1/2 LITER			
9	30	Pc	SAND PAPER #120			
10	5	Unit	STEEL BRUSH, WOOD HANDLE			
11	4	Pc	ROLLER PAINT BRUSH, SIZE 9" LENGTH			
12	4	Pc	PAINT BRUSH, SIZE 4" LENGTH			
13	2	Unit	SPATULA, SIZE 5", FOR WALL PAINT SCRAPING			
14	6	Unit	PVC PIPE CONNECTOR (BLUE), 4 INCH DIA., AS PER SAMPLE			

15	6	Unit	PVC PIPE CONNECTOR (BLUE), 3 INCH DIA., AS PER SAMPLE			
				Sub – total		
Lot V – MATERIALS /EQUIPMENT FOR VARIOUS MECHANICAL WORKS						
1	20	Unit	WIRED REMOTE CONTROLLER, MODEL BRC1E62, BRAND DAIKIN			
2	20	Unit	WIRED REMOTE CONTROLLER, MODEL BRC1C62-9, BRAND DAIKIN			
3	50	Unit	DIGITAL THERMOHYGROMETER, WALL MOUNTED TYPE (WITH WALL MOUNTED HOLDER) AS PER SAMPLE			
4	1	Unit	Cordless Electric Drill/Screw Driver Set (Heavy Duty) Heavy Duty, with two (2) pieces Battery Pack, 24Volts			
5	1	Unit	Inverter Welding Machine (Heavy Duty) Heavy Duty, 220V-230V, 300A Output Current			
6	1	Unit	GRINDER, Cutting Tool (Heavy Duty)			
7	4	Unit	TEMPERED GLASS DOOR W/ HOLE PROVISION FOR DOOR HANDLE, 12mm THICK (verify actual sample at site)			
8	4	Pc	PILLOW BLOCK BEARING, SKF SY507M			
9	8	Pc	BALL BEARING 6206 2Z			
10	12	Pc	BALL BEARING 6313			
11	12	Can	PENETRATING OIL, WD-40, 382 ML			
12	12	Can	CONTACT CLEANER			
13	4	Pc	GATE VALVE 2" DIA.			
14	4	Pc	GATE VALVE 1/4" DIA.			
15	4	Pc	BALL VALVE 1" DIA.			
16	4	Pc	BALL VALVE 1/2" DIA.			
17	4	Pc	BALL VALVE 1/4" DIA.			
18	10	Gal	CONTACT CEMENT			
19	4	Pc	V-BELT, A-33			
20	4	Pc	V-BELT, A-34			
21	4	Pc	V-BELT, A-49			
22	6	Pc	V-BELT, A-75			
23	4	Pc	V-BELT, A-83			
24	6	Pc	V-BELT, A-94			
25	4	Pc	V-BELT, B-54			
26	6	Pc	V-BELT, B-91			
27	2	Pc	V-BELT, B-136 x 5 Grooves			
28	12	Pc	V-BELT, C-195			
29	2	Tank	NITROGEN, gas only (refill)			
30	3	Tank	OXYGEN, gas only (refill)			
31	1	Tank	ACETYLENE, gas only (refill)			
				Sub – total		

The abovementioned corrections shall also be reflected in the Bill of Quantities.

The corrected copies are attached. Bidders are advised to replace their original copies with the corrected copies.

For guidance and information of all concerned.


MELPIN A. GONZAGA
Chairman

Received by:

(Signature over printed name)
Telephone/Fax No. _____
Date: _____
Name of Company: _____

Technical Specifications

Item	Qty.	Unit	Specification	Statement of Compliance
Lot I – EQUIPMENT CONTROL COMPONENTS				
1	1	Unit	CONTROL TRANSFORMER, INPUT VOLTAGE 240/480V, OUTPUT VOLTAGE 120/240V, CAPACITY 250VA, 1-PHASE, 60HZ, CLASS 1	
2	2	Unit	RELAY, AS PER SAMPLE	
3	2	Unit	CIRCUIT BREAKER, AS PER SAMPLE	
4	2	Unit	MAGNETIC CONTACTOR, AS PER SAMPLE	
5	2	Pail	BEARING FOR THE PUMP, AS PER SAMPLE	
6	2	Unit	BEARING FOR THE DRIVE MOTOR, AS PER SAMPLE	
7	2	Unit	CHAIN COUPLING FOR DRIVE MOTOR AND PUMP, AS PER SAMPLE	
			<i>DAIKIN VRV III SERIES - FOR ACCU MODEL RXYQ18PTL</i>	
8	6	Unit	SCROLL COMPRESSOR JT100G (INVERTER COMPRESSOR) MC1	
9	6	Unit	SCROLL COMPRESSOR JT170G-K (STANDARD COMPRESSOR) MC2/MC3	
10	10	Unit	PRINTED CIRCUIT BOARD (INVERTER) A2P	
11	10	Unit	INVERTER ASSEMBLY (FAN DRIVE) A5P	
12	10	Unit	PRINTED CIRCUIT ASSEMBLY (MAIN) A1P	
13	10	Unit	MAGNETIC CONTACTOR KM2/KM3, <i>as per sample</i>	
14	10	Unit	THERMISTOR ASSEMBLY R2/4/5/6/7T	
15	10	Unit	THERMISTOR ASSEMBLY MC1-3C DISCHARGE	
16	6	Unit	HIGH PRESSURE SENSOR S1NPH	
17	6	Unit	COIL / FOUR-WAY VALVE Y3S	
18	6	Unit	LOW PRESSURE SENSOR S1NPL	
19	6	Unit	BODY / MOTOR OPERATED VALVE (MAIN) Y1E	
20	6	Unit	HIGH PRESSURE SWITCH S1/2/3PH	
21	10	Unit	AIR THERMISTOR R1T	
22	8	Unit	DC FAN MOTOR M1F / M2F	
23	7	Unit	REFRIGERANT FILTER	
24	16	Unit	PROPELLER FAN	
			<i>DAIKIN VRV III SERIES - FOR ACCU MODEL RXYQ16PTL</i>	
25	4	Unit	SCROLL COMPRESSOR JT100G (INVERTER COMPRESSOR) MC1	
26	4	Unit	SCROLL COMPRESSOR JT170G-K (STANDARD COMPRESSOR) MC2/MC3	
27	6	Unit	PRINTED CIRCUIT BOARD (INVERTER) A2P	
28	6	Unit	INVERTER ASSEMBLY (FAN DRIVE) A5P	
29	6	Unit	PRINTED CIRCUIT ASSEMBLY (MAIN) A1P	
/ 30	4	Unit	MAGNETIC CONTACTOR KM2/KM3, <i>as per sample</i>	
31	4	Unit	THERMISTOR ASSEMBLY R2/4/5/6/7T	
32	4	Unit	THERMISTOR ASSEMBLY MC1-3C DISCHARGE	
33	4	Unit	HIGH PRESSURE SENSOR S1NPH	

34	4	Unit	COIL / FOUR-WAY VALVE Y3S
35	4	Unit	LOW PRESSURE SENSOR S1NPL
36	4	Unit	BODY / MOTOR OPERATED VALVE (MAIN) Y1E
37	4	Unit	HIGH PRESSURE SWITCH S1/2/3PH
38	4	Unit	AIR THERMISTOR R1T
39	4	Unit	DC FAN MOTOR M1F / M2F
40	4	Unit	REFRIGERANT FILTER
41	4	Unit	PROPELLER FAN
			<i>DAIKIN VRV III SERIES - FOR ACCU MODEL RXYQ14PTL</i>
42	4	Unit	SCROLL COMPRESSOR JT100G (INVERTER COMPRESSOR) MC1
43	4	Unit	SCROLL COMPRESSOR JT170G-K (STANDARD COMPRESSOR) MC2/MC3
44	6	Unit	PRINTED CIRCUIT BOARD (INVERTER) A2P
45	6	Unit	INVERTER ASSEMBLY (FAN DRIVE) A5P
46	6	Unit	PRINTED CIRCUIT ASSEMBLY (MAIN) A1P
47	4	Unit	MAGNETIC CONTACTOR KM2/KM3, <i>as per sample</i>
48	4	Unit	THERMISTOR ASSEMBLY R2/4/5/6/7T
49	4	Unit	THERMISTOR ASSEMBLY MC1-3C DISCHARGE
50	4	Unit	HIGH PRESSURE SENSOR S1NPH
51	4	Unit	COIL / FOUR-WAY VALVE Y3S
52	4	Unit	LOW PRESSURE SENSOR S1NPL
53	4	Unit	BODY / MOTOR OPERATED VALVE (MAIN) Y1E
54	4	Unit	HIGH PRESSURE SWITCH S1/2/3PH
55	4	Unit	AIR THERMISTOR R1T
56	4	Unit	DC FAN MOTOR M1F / M2F
57	4	Unit	REFRIGERANT FILTER
58	4	Unit	PROPELLER FAN
			<i>DAIKIN VRV III SERIES - FOR ACCU MODEL RXYQ12PTL</i>
59	4	Unit	SCROLL COMPRESSOR JT100G (INVERTER COMPRESSOR) MC1
60	4	Unit	SCROLL COMPRESSOR JT170G-K (STANDARD COMPRESSOR) MC2/MC3
61	6	Unit	PRINTED CIRCUIT BOARD (INVERTER) A2P
62	6	Unit	INVERTER ASSEMBLY (FAN DRIVE) A5P
63	6	Unit	PRINTED CIRCUIT ASSEMBLY (MAIN) A1P
64	4	Unit	MAGNETIC CONTACTOR KM2/KM3, <i>as per sample</i>
65	4	Unit	THERMISTOR ASSEMBLY R2/4/5/6/7T
66	4	Unit	THERMISTOR ASSEMBLY MC1-3C DISCHARGE
67	4	Unit	HIGH PRESSURE SENSOR S1NPH
68	4	Unit	COIL / FOUR-WAY VALVE Y3S
69	4	Unit	LOW PRESSURE SENSOR S1NPL
70	4	Unit	BODY / MOTOR OPERATED VALVE (MAIN) Y1E
71	4	Unit	HIGH PRESSURE SWITCH S1/2/3PH

72	4	Unit	AIR THERMISTOR R1T
73	4	Unit	DC FAN MOTOR M1F / M2F
74	4	Unit	REFRIGERANT FILTER
75	4	Unit	PROPELLER FAN
			<i>DAIKIN VRV III SERIES - FOR ACCU MODEL RXYQ10PTL</i>
76	4	Unit	SCROLL COMPRESSOR JT100G (INVERTER COMPRESSOR) MC1
77	4	Unit	PRINTED CIRCUIT BOARD (INVERTER) A2P
78	4	Unit	INVERTER ASSEMBLY (FAN DRIVE) A5P, <i>as per sample</i>
79	4	Unit	PRINTED CIRCUIT ASSEMBLY (MAIN) A1P
80	4	Unit	THERMISTOR ASSEMBLY R2/4/5/6/7T
81	4	Unit	THERMISTOR ASSEMBLY MC1-3C DISCHARGE
82	4	Unit	HIGH PRESSURE SENSOR S1NPH
83	4	Unit	COIL / FOUR-WAY VALVE Y3S
84	4	Unit	LOW PRESSURE SENSOR S1NPL
85	4	Unit	BODY / MOTOR OPERATED VALVE (MAIN) Y1E
86	4	Unit	HIGH PRESSURE SWITCH S1/2/3PH
87	4	Unit	AIR THERMISTOR R1T
88	4	Unit	DC FAN MOTOR M1F / M2F
89	4	Unit	REFRIGERANT FILTER
90	4	Unit	PROPELLER FAN
			<i>DAIKIN VRV III SERIES - FOR ACCU MODEL RXYQ8PTL</i>
91	4	Unit	SCROLL COMPRESSOR JT100G (INVERTER COMPRESSOR) MC1
92	4	Unit	PRINTED CIRCUIT BOARD (INVERTER) A2P
93	4	Unit	INVERTER ASSEMBLY (FAN DRIVE) A5P
94	4	Unit	PRINTED CIRCUIT ASSEMBLY (MAIN) A1P, <i>as per sample</i>
95	4	Unit	THERMISTOR ASSEMBLY R2/4/5/6/7T
96	4	Unit	THERMISTOR ASSEMBLY MC1-3C DISCHARGE
97	4	Unit	HIGH PRESSURE SENSOR S1NPH
98	4	Unit	COIL / FOUR-WAY VALVE Y3S
99	4	Unit	LOW PRESSURE SENSOR S1NPL
100	4	Unit	BODY / MOTOR OPERATED VALVE (MAIN) Y1E
101	4	Unit	HIGH PRESSURE SWITCH S1/2/3PH
102	4	Unit	AIR THERMISTOR R1T
103	4	Unit	DC FAN MOTOR M1F / M2F
104	4	Unit	REFRIGERANT FILTER
105	4	Unit	PROPELLER FAN
Lot II – YORK CHILLER CONSUMABLE MATERIALS			
1	1	Kit	SILICON CONTROLLED RECTIFIER (SCR), PN 371-01184D334-D
2	1	Unit	POWER SUPPLY BOARD; 031-01080-000
3	1	Unit	CONTROL LOGIC BOARD; 031-00936-003
4	1	Unit	CONTROL TRIGGER BOARD; 371-0145-002
5	6	Pail	YORK "S " OIL or ALTERNATIVES

6	2	Unit	TRANSDUCER, EVAPORATOR; 025-29148-102
7	2	Unit	CONTACTOR WITH ON-DELAY TIMER & OVERLOAD RELAY, BRAND: ALLEN BRADLEY, MODEL: 100-A24NG3 (AS PER SAMPLE)
8	6	Set	PILLOW BLOCK BEARING GN-203 KLLB
9	3	Unit	TRANSITION TIMER; MODEL 7012 AC COIL 120V/60HZ, RANGE 1.5-15SCC, BRAND: AGASTAT (AS PER SAMPLE)
Lot III – AIRCONDITIONING CONSUMABLES			
1	1000	Kilo	REFRIGERANT 22
2	50	Kilo	REFRIGERANT 32 (10kg capacity/tank)
3	136	Kilo	REFRIGERANT 134A (13.6kg capacity/tank)
4	226	Kilo	REFRIGERANT 410A (11.3kg capacity/tank)
5	40	Unit	FCU AIR DEFLECTORS, <i>as per sample</i>
6	30	Unit	RUBBER INSULATION, 3/8" dia. x 1" thk x 6 ft.
7	30	Unit	RUBBER INSULATION, 1/2" dia. x 1" thk x 6 ft.
8	70	Unit	RUBBER INSULATION, 5/8" dia. x 1" thk x 6 ft.
9	30	Unit	RUBBER INSULATION, 3/4" dia. x 1" thk x 6 ft.
10	30	Unit	RUBBER INSULATION, 7/8" dia. x 1" thk x 6 ft.
11	70	Unit	RUBBER INSULATION, 1 1/8" dia. x 1" thk x 6 ft.
12	30	Unit	RUBBER INSULATION, 1 3/8" dia. x 1" thk x 6 ft.
13	30	Unit	RUBBER INSULATION, 1 5/8" dia. x 1" thk x 6 ft.
14	100	Roll	SELF-ADHESIVE EPDM FOAM TAPE, brand "AEROTAPE" or equivalent, Size 3mm. Thick x 50mm. Width 9.1m. Roll (1/8" Thick x 2" Width x 30 feet Roll)
15	4	Unit	FCU PORTABLE DRAIN PUMP, brand KING PUMP or equivalent
16	100	Roll	POLYETHYLENE TAPE WHITE, SIZE 4"
Lot IV – SEWAGE TREATMENT CONSUMABLES			
1	120	Liter	CHLORINE, 7% HYPOCHLORITE SOLUTION
2	10	Gal	MULTI-PURPOSE CLEANING AGENT, LIQUID SOAP, 1 GALLON
3	10	Kilo	MULTI PURPOSE ROUND RAGS
4	2	Pail	GEAR OIL, SHELL OMALA S2 G 220, 5 GALLON PAIL FOR STP BLOWER (as per sample)
5	6	Can	PENETRATING OIL, WD-40, 382 ML
6	4	Gal	EPOXY ENAMEL PAINT, GRAY COLOR
7	4	Gal	ELASTOMERIC PAINT, ODOURLESS, WHITE
8	2	Set	ALL PURPOSE EPOXY, SET A&B, 1/2 LITER
9	30	Pc	SAND PAPER #120
10	5	Unit	STEEL BRUSH, WOOD HANDLE
11	4	Pc	ROLLER PAINT BRUSH, SIZE 9" LENGTH
12	4	Pc	PAINT BRUSH, SIZE 4" LENGTH
13	2	Unit	SPATULA, SIZE 5", FOR WALL PAINT SCRAPING
14	6	Unit	PVC PIPE CONNECTOR (BLUE), 4 INCH DIA., AS PER SAMPLE
15	6	Unit	PVC PIPE CONNECTOR (BLUE), 3 INCH DIA., AS PER SAMPLE
Lot V – MATERIALS/EQUIPMENT FOR VARIOUSO MECHANICAL WORKS			
1	20	Unit	WIRED REMOTE CONTROLLER, MODEL BRC1E62, BRAND DAIKIN
2	20	Unit	WIRED REMOTE CONTROLLER, MODEL BRC1C62-9, BRAND DAIKIN
3	50	Unit	DIGITAL THERMOHYGROMETER, <i>WITH WALL MOUNTED TYPE HOLDER</i>

4	1	Unit	Cordless Electric Drill/Screw Driver Set (Heavy Duty), <i>with two (2) pcs. Battery Pack, 24 volts</i>
5	1	Unit	Inverter Welding Machine (Heavy Duty), <i>220V-230V, 300A Output Current</i>
6	1	Unit	GRINDER, Cutting Tool (Heavy Duty), <i>220V-230V</i>
7	4	Unit	TEMPERED GLASS DOOR W/ HOLE PROVISION FOR DOOR HANDLE, 12mm THICK (verify actual sample at site)
8	4	Pc	PILLOW BLOCK BEARING, SKF SY507M
9	8	Pc	BALL BEARING 6206 2Z
10	12	Pc	BALL BEARING 6313
11	12	Can	PENETRATING OIL, WD-40, 382 ML
12	12	Can	CONTACT CLEANER
13	4	Pc	GATE VALVE 2" DIA.
14	4	Pc	GATE VALVE 1/4" DIA.
15	4	Pc	BALL VALVE 1" DIA.
16	4	Pc	BALL VALVE 1/2" DIA.
17	4	Pc	BALL VALVE 1/4" DIA.
18	10	Gal	CONTACT CEMENT
19	4	Pc	V-BELT, A-33
20	4	Pc	V-BELT, A-34
21	4	Pc	V-BELT, A-49
22	6	Pc	V-BELT, A-75
23	4	Pc	V-BELT, A-83
24	6	Pc	V-BELT, A-94
25	4	Pc	V-BELT, B-54
26	6	Pc	V-BELT, B-91
27	2	Pc	V-BELT, B-136 x 5 Grooves
28	12	Pc	V-BELT, C-195
29	2	Tank	NITROGEN, gas only (refill)
30	3	Tank	OXYGEN, gas only (refill)
31	1	Tank	ACETYLENE, gas only (refill)
STATEMENT OF COMPLIANCE			
<i>Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered.</i>			

Note:

Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

Cost Breakdown

Item No.	Qty.	Unit	Article /Description	Unit Price	Total Amount	Offer brand
Lot I – EQUIPMENT CONTROL COMPONENTS						
1	1	Unit	CONTROL TRANSFORMER, INPUT VOLTAGE 240/480V, OUTPUT VOLTAGE 120/240V, CAPACITY 250VA, 1-PHASE, 60HZ, CLASS 1			
2	2	Unit	RELAY, AS PER SAMPLE			
3	2	Unit	CIRCUIT BREAKER, AS PER SAMPLE			
4	2	Unit	MAGNETIC CONTACTOR, AS PER SAMPLE			
5	2	Pail	BEARING FOR THE PUMP, AS PER SAMPLE			
6	2	Unit	BEARING FOR THE DRIVE MOTOR, AS PER SAMPLE			
7	2	Unit	CHAIN COUPLING FOR DRIVE MOTOR AND PUMP, AS PER SAMPLE			
			<i>DAIKIN VRV III SERIES - FOR ACCU MODEL RXYQ18PTL</i>			
8	6	Unit	SCROLL COMPRESSOR JT100G (INVERTER COMPRESSOR) MC1			
9	6	Unit	SCROLL COMPRESSOR JT170G-K (STANDARD COMPRESSOR) MC2/MC3			
10	10	Unit	PRINTED CIRCUIT BOARD (INVERTER) A2P			
11	10	Unit	INVERTER ASSEMBLY (FAN DRIVE) A5P			
12	10	Unit	PRINTED CIRCUIT ASSEMBLY (MAIN) A1P			
13	10	Unit	MAGNETIC CONTACTOR KM2/KM3, <i>as per sample</i>			
14	10	Unit	THERMISTOR ASSEMBLY R2/4/5/6/7T			
15	10	Unit	THERMISTOR ASSEMBLY MC1-3C DISCHARGE			
16	6	Unit	HIGH PRESSURE SENSOR S1NPH			
17	6	Unit	COIL / FOUR-WAY VALVE Y3S			
18	6	Unit	LOW PRESSURE SENSOR S1NPL			
19	6	Unit	BODY / MOTOR OPERATED VALVE (MAIN) Y1E			
20	6	Unit	HIGH PRESSURE SWITCH S1/2/3PH			
21	10	Unit	AIR THERMISTOR R1T			
22	8	Unit	DC FAN MOTOR M1F / M2F			
23	7	Unit	REFRIGERANT FILTER			
24	16	Unit	PROPELLER FAN			
			<i>DAIKIN VRV III SERIES - FOR ACCU MODEL RXYQ16PTL</i>			
25	4	Unit	SCROLL COMPRESSOR JT100G (INVERTER COMPRESSOR) MC1			
26	4	Unit	SCROLL COMPRESSOR JT170G-K (STANDARD COMPRESSOR) MC2/MC3			
27	6	Unit	PRINTED CIRCUIT BOARD (INVERTER) A2P			
28	6	Unit	INVERTER ASSEMBLY (FAN DRIVE) A5P			
29	6	Unit	PRINTED CIRCUIT ASSEMBLY (MAIN) A1P			
30	4	Unit	MAGNETIC CONTACTOR KM2/KM3, <i>as per sample</i>			
31	4	Unit	THERMISTOR ASSEMBLY R2/4/5/6/7T			
32	4	Unit	THERMISTOR ASSEMBLY MC1-3C DISCHARGE			

33	4	Unit	HIGH PRESSURE SENSOR S1NPH			
34	4	Unit	COIL / FOUR-WAY VALVE Y3S			
35	4	Unit	LOW PRESSURE SENSOR S1NPL			
36	4	Unit	BODY / MOTOR OPERATED VALVE (MAIN) Y1E			
37	4	Unit	HIGH PRESSURE SWITCH S1/2/3PH			
38	4	Unit	AIR THERMISTOR R1T			
39	4	Unit	DC FAN MOTOR M1F / M2F			
40	4	Unit	REFRIGERANT FILTER			
41	4	Unit	PROPELLER FAN			
			<i>DAIKIN VRV III SERIES - FOR ACCU MODEL RXYQ14PTL</i>			
42	4	Unit	SCROLL COMPRESSOR JT100G (INVERTER COMPRESSOR) MC1			
43	4	Unit	SCROLL COMPRESSOR JT170G-K (STANDARD COMPRESSOR) MC2/MC3			
44	6	Unit	PRINTED CIRCUIT BOARD (INVERTER) A2P			
45	6	Unit	INVERTER ASSEMBLY (FAN DRIVE) A5P			
46	6	Unit	PRINTED CIRCUIT ASSEMBLY (MAIN) A1P			
47	4	Unit	MAGNETIC CONTACTOR KM2/KM3, <i>as per sample</i>			
48	4	Unit	THERMISTOR ASSEMBLY R2/4/5/6/7T			
49	4	Unit	THERMISTOR ASSEMBLY MC1-3C DISCHARGE			
50	4	Unit	HIGH PRESSURE SENSOR S1NPH			
51	4	Unit	COIL / FOUR-WAY VALVE Y3S			
52	4	Unit	LOW PRESSURE SENSOR S1NPL			
53	4	Unit	BODY / MOTOR OPERATED VALVE (MAIN) Y1E			
54	4	Unit	HIGH PRESSURE SWITCH S1/2/3PH			
55	4	Unit	AIR THERMISTOR R1T			
56	4	Unit	DC FAN MOTOR M1F / M2F			
57	4	Unit	REFRIGERANT FILTER			
58	4	Unit	PROPELLER FAN			
			<i>DAIKIN VRV III SERIES - FOR ACCU MODEL RXYQ12PTL</i>			
59	4	Unit	SCROLL COMPRESSOR JT100G (INVERTER COMPRESSOR) MC1			
60	4	Unit	SCROLL COMPRESSOR JT170G-K (STANDARD COMPRESSOR) MC2/MC3			
61	6	Unit	PRINTED CIRCUIT BOARD (INVERTER) A2P			
62	6	Unit	INVERTER ASSEMBLY (FAN DRIVE) A5P			
63	6	Unit	PRINTED CIRCUIT ASSEMBLY (MAIN) A1P			
64	4	Unit	MAGNETIC CONTACTOR KM2/KM3, <i>as per sample</i>			
65	4	Unit	THERMISTOR ASSEMBLY R2/4/5/6/7T			
66	4	Unit	THERMISTOR ASSEMBLY MC1-3C DISCHARGE			
67	4	Unit	HIGH PRESSURE SENSOR S1NPH			
68	4	Unit	COIL / FOUR-WAY VALVE Y3S			
69	4	Unit	LOW PRESSURE SENSOR S1NPL			
70	4	Unit	BODY / MOTOR OPERATED VALVE (MAIN) Y1E			
71	4	Unit	HIGH PRESSURE SWITCH S1/2/3PH			
72	4	Unit	AIR THERMISTOR R1T			
73	4	Unit	DC FAN MOTOR M1F / M2F			
74	4	Unit	REFRIGERANT FILTER			

75	4	Unit	PROPELLER FAN			
			<i>DAIKIN VRV III SERIES - FOR ACCU MODEL RXYQ10PTL</i>			
76	4	Unit	SCROLL COMPRESSOR JT100G (INVERTER COMPRESSOR) MC1			
77	4	Unit	PRINTED CIRCUIT BOARD (INVERTER) A2P			
78	4	Unit	INVERTER ASSEMBLY (FAN DRIVE) A5P, as per sample			
79	4	Unit	PRINTED CIRCUIT ASSEMBLY (MAIN) A1P			
80	4	Unit	THERMISTOR ASSEMBLY R2/4/5/6/7T			
81	4	Unit	THERMISTOR ASSEMBLY MC1-3C DISCHARGE			
82	4	Unit	HIGH PRESSURE SENSOR S1NPH			
83	4	Unit	COIL / FOUR-WAY VALVE Y3S			
84	4	Unit	LOW PRESSURE SENSOR S1NPL			
85	4	Unit	BODY / MOTOR OPERATED VALVE (MAIN) Y1E			
86	4	Unit	HIGH PRESSURE SWITCH S1/2/3PH			
87	4	Unit	AIR THERMISTOR R1T			
88	4	Unit	DC FAN MOTOR M1F / M2F			
89	4	Unit	REFRIGERANT FILTER			
90	4	Unit	PROPELLER FAN			
			<i>DAIKIN VRV III SERIES - FOR ACCU MODEL RXYQ8PTL</i>			
91	4	Unit	SCROLL COMPRESSOR JT100G (INVERTER COMPRESSOR) MC1			
92	4	Unit	PRINTED CIRCUIT BOARD (INVERTER) A2P			
93	4	Unit	INVERTER ASSEMBLY (FAN DRIVE) A5P			
94	4	Unit	PRINTED CIRCUIT ASSEMBLY (MAIN) A1P, <i>as per sample</i>			
95	4	Unit	THERMISTOR ASSEMBLY R2/4/5/6/7T			
96	4	Unit	THERMISTOR ASSEMBLY MC1-3C DISCHARGE			
97	4	Unit	HIGH PRESSURE SENSOR S1NPH			
98	4	Unit	COIL / FOUR-WAY VALVE Y3S			
99	4	Unit	LOW PRESSURE SENSOR S1NPL			
100	4	Unit	BODY / MOTOR OPERATED VALVE (MAIN) Y1E			
101	4	Unit	HIGH PRESSURE SWITCH S1/2/3PH			
102	4	Unit	AIR THERMISTOR R1T			
103	4	Unit	DC FAN MOTOR M1F / M2F			
104	4	Unit	REFRIGERANT FILTER			
105	4	Unit	PROPELLER FAN			
				Sub – total		
Lot II – YORK CHILLERS CONSUMABLE MATERIALS						
1	1	Kit	SILICON CONTROLLED RECTIFIER (SCR), PN 371-01184D334-D			
2	1	Unit	POWER SUPPLY BOARD; 031-01080-000			
3	1	Unit	CONTROL LOGIC BOARD; 031-00936-003			
4	1	Unit	CONTROL TRIGGER BOARD; 371-0145-002			
5	6	Pail	YORK "S " OIL or ALTERNATIVES			
6	2	Unit	TRANSDUCER, EVAPORATOR; 025-29148-102			

7	2	Unit	CONTACTOR WITH ON-DELAY TIMER & OVERLOAD RELAY, BRAND: ALLEN BRADLEY, MODEL: 100-A24NG3 (AS PER SAMPLE)			
8	6	Set	PILLOW BLOCK BEARING GN-203 KLLB			
9	3	Unit	TRANSITION TIMER; MODEL 7012 AC COIL 120V/60HZ, RANGE 1.5-15SCC, BRAND: AGASTAT (AS PER SAMPLE)			
Sub – total						
Lot III – AIRCONDITIONING CONSUMABLES						
1	1000	Kilo	REFRIGERANT 22			
2	50	Kilo	REFRIGERANT 32 (10kg capacity/tank)			
3	136	Kilo	REFRIGERANT 134A (13.6kg capacity/tank)			
4	226	Kilo	REFRIGERANT 410A (11.3kg capacity/tank)			
5	40	Unit	FCU AIR DEFLECTORS, <i>as per sample</i>			
6	30	Unit	RUBBER INSULATION, 3/8" dia. x 1" thk x 6 ft.			
7	30	Unit	RUBBER INSULATION, 1/2" dia. x 1" thk x 6 ft.			
8	70	Unit	RUBBER INSULATION, 5/8" dia. x 1" thk x 6 ft.			
9	30	Unit	RUBBER INSULATION, 3/4" dia. x 1" thk x 6 ft.			
10	30	Unit	RUBBER INSULATION, 7/8" dia. x 1" thk x 6 ft.			
11	70	Unit	RUBBER INSULATION, 1 1/8" dia. x 1" thk x 6 ft.			
12	30	Unit	RUBBER INSULATION, 1 3/8" dia. x 1" thk x 6 ft.			
13	30	Unit	RUBBER INSULATION, 1 5/8" dia. x 1" thk x 6 ft.			
14	100	Roll	SELF-ADHESIVE EPDM FOAM TAPE, brand "AEROTAPE" or equivalent, Size 3mm. Thick x 50mm. Width 9.1m. Roll (1/8" Thick x 2" Width x 30 feet Roll)			
15	4	Unit	FCU PORTABLE DRAIN PUMP, brand KING PUMP or equivalent			
16	100	Roll	POLYETHYLENE TAPE WHITE, SIZE 4"			
Sub – total						
Lot IV – SEWAGE TREATMENT PLANT CONSUMABLES						
1	120	Liter	CHLORINE, 7% HYPOCHLORITE SOLUTION			
2	10	Gal	MULTI-PURPOSE CLEANING AGENT, LIQUID SOAP, 1 GALLON			
3	10	Kilo	MULTI PURPOSE ROUND RAGS			
4	2	Pail	GEAR OIL, SHELL OMALA S2 G 220, 5 GALLON PAIL FOR STP BLOWER (as per sample)			
5	6	Can	PENETRATING OIL, WD-40, 382 ML			
6	4	Gal	EPOXY ENAMEL PAINT, GRAY COLOR			
7	4	Gal	ELASTOMERIC PAINT, ODOURLESS, WHITE			
8	2	Set	ALL PURPOSE EPOXY, SET A&B, 1/2 LITER			
9	30	Pc	SAND PAPER #120			
10	5	Unit	STEEL BRUSH, WOOD HANDLE			
11	4	Pc	ROLLER PAINT BRUSH, SIZE 9" LENGTH			
12	4	Pc	PAINT BRUSH, SIZE 4" LENGTH			

13	2	Unit	SPATULA, SIZE 5", FOR WALL PAINT SCRAPING			
14	6	Unit	PVC PIPE CONNECTOR (BLUE), 4 INCH DIA., AS PER SAMPLE			
15	6	Unit	PVC PIPE CONNECTOR (BLUE), 3 INCH DIA., AS PER SAMPLE			
Sub – total						
Lot V – MATERIALS /EQUIPMENT FOR VARIOUS MECHANICAL WORKS						
1	20	Unit	WIRED REMOTE CONTROLLER, MODEL BRC1E62, BRAND DAIKIN			
2	20	Unit	WIRED REMOTE CONTROLLER, MODEL BRC1C62-9, BRAND DAIKIN			
3	50	Unit	DIGITAL THERMOHYGROMETER, <i>WITH WALL MOUNTED TYPE HOLDER</i>			
4	1	Unit	Cordless Electric Drill/Screw Driver Set (Heavy Duty), <i>with two (2) pcs Battery Pack, 24 volts</i>			
5	1	Unit	Inverter Welding Machine (Heavy Duty), <i>220V-230V, 300A Output Current</i>			
6	1	Unit	GRINDER, Cutting Tool (Heavy Duty), <i>220V-230V</i>			
7	4	Unit	TEMPERED GLASS DOOR W/ HOLE PROVISION FOR DOOR HANDLE, 12mm THICK (verify actual sample at site)			
8	4	Pc	PILLOW BLOCK BEARING, SKF SY507M			
9	8	Pc	BALL BEARING 6206 2Z			
10	12	Pc	BALL BEARING 6313			
11	12	Can	PENETRATING OIL, WD-40, 382 ML			
12	12	Can	CONTACT CLEANER			
13	4	Pc	GATE VALVE 2" DIA.			
14	4	Pc	GATE VALVE 1/4" DIA.			
15	4	Pc	BALL VALVE 1" DIA.			
16	4	Pc	BALL VALVE 1/2" DIA.			
17	4	Pc	BALL VALVE 1/4" DIA.			
18	10	Gal	CONTACT CEMENT			
19	4	Pc	V-BELT, A-33			
20	4	Pc	V-BELT, A-34			
21	4	Pc	V-BELT, A-49			
22	6	Pc	V-BELT, A-75			
23	4	Pc	V-BELT, A-83			
24	6	Pc	V-BELT, A-94			
25	4	Pc	V-BELT, B-54			
26	6	Pc	V-BELT, B-91			
27	2	Pc	V-BELT, B-136 x 5 Grooves			
28	12	Pc	V-BELT, C-195			
29	2	Tank	NITROGEN, gas only (refill)			

30	3	Tank	OXYGEN, gas only (refill)			
31	1	Tank	ACETYLENE, gas only (refill)			
Sub – total						

Prepared by:

Signature over printed name of Authorized Representative

Position

Date