

SUPPLEMENTAL BID BULLETIN

**Republic of the Philippines
PHILIPPINE INTERNATIONAL CONVENTION CENTER
PICC Complex, 1307 Pasay City
BIDS AND AWARDS COMMITTEE (BAC)**

November 28, 2023

**SUPPLY AND DELIVERY OF ONE (1) UNIT UTILITY VEHICLE, 4X2 M/T AND TWO
(2) UNITS MULTI UTILITY VEHICLES, 2.8 DIESEL A/T**

ADDENDUM NO. 01

This Addendum is issued to amend/revise certain provisions of the Bid Documents for the above-captioned procurement. Said amendments are as follows:

I. Section VII- Technical Specifications have been changed to read as:

- SUPPLY AND DELIVERY OF ONE (1) UNIT UTILITY VEHICLE, 4X2 M/T

- **TECHNICAL SPECIFICATIONS:**

- Lot I

- 3.2 Engine Displacement: 2.393 cc/ 2.393 Liters **minimum**
- 3.5 Fuel Capacity: **75** Liters **minimum**
- 5.3- **deleted**
- 5.4- **deleted**
- 6.2 Wheelbase, mm- **3,100 minimum**
- 11.1 Free Service (**labor**)- for the First 1,000 kilometers and 5,000 kilometers
- 12. Insurance- **deleted**
- 12.1 **deleted**
- 13. **One (1) year** Third Party Liability (TPL) Insurance and 3 years LTO Registration
- **14. Others**
 - **14.1 Tint**
 - **14.2 Matting Rust Proofing**
 - **14.3 EWD (Early Warning Device)**
 - **14.4 Umbrella**
 - **14.5 Seat covers**
 - **14.6 Emergency tools (tire wrench, crocodile jack, etc.)**
 - **Spare Tire**

- Lot II

- SUPPLY AND DELIVERY OF TWO (2) UNITS MULTI UTILITY VEHICLES, DIESEL A/T

- **TECHNICAL SPECIFICATIONS:**

- **1.** Type of Vehicle: Multi Utility Vehicles (MUV), **Diesel A/T**
 - Fuel Tank capacity, Liters- 65-75
 - Displacement, cc- **2.755 minimum**
 - **Brakes** Ventilated Discs/Drum
 - 3.1 Free Service (**labor**)- for the First 1,000 kilometers and 5,000 kilometers

- 4. Insurance- **deleted**
- 4.1 **deleted**
- 5. **One (1) year** Third Party Liability (TPL) Insurance and 3 years LTO Registration

II. Section VIII- Checklist of Requirements have been changed to read as:

- FINANCIAL COMPONENT ENVELOPE
 - (j)- **deleted**

The corrected copies are attached. Bidders are advised to replace their original copies with the corrected copies.

For guidance and information of all concerned.


MELPIN A. GONZAGA
Chairman

Received by:

(Signature over printed name)
Telephone/Fax No. _____
Date: _____
Name of Company: _____

Technical Specifications

Item	Specification	Statement of Compliance
1	<p><i>Lot 1 - SUPPLY AND DELIVERY OF ONE (1) UNIT UTILITY VEHICLE, 4x2 M/T</i></p> <p>TECHNICAL SPECIFICATIONS:</p> <ol style="list-style-type: none"> 1. Type of Vehicle: Utility Vehicle (UV), 4x2 M/T 2. Color: White 3. Engine <ol style="list-style-type: none"> 3.1 Engine Type – 2.4 Diesel, 4-Cylinder, 16-Valve Dual Overhead Camshaft (DOTC) Variable Nozzle Turbo with Front Mounted Intercooler 3.2 Engine Displacement: 2,393 cc / 2.393 Liters <i>minimum</i> 3.3 Maximum Output (hp/rpm): 147 ps/3,400 rpm 3.4 Maximum Torque (Nm/Rpm): 343 Nm / 2,800 Rpm 3.5 Fuel Capacity: 75 Liters <i>minimum</i> 3.6 Fuel System: Fuel Injection with common rail 4. Chassis <ol style="list-style-type: none"> 4.1 Suspension – Front - Double Wishbone Rear Leaf Spring Rigid Axle 4.2 Brakes - Front – Ventilated Discs Rear – Leading Trailing Drums 4.3 Steering System – Rack and Pinion with Power Assist 4.4 Tire/Wheels – 205/70 R15 Steel 4.5 Drivetrain – 4x2 5 Transmission: <ol style="list-style-type: none"> 5.1 Power Transmission: 5-speed M/T 5.2 Front Brake/Rear Break Ventilated Discs / Drum 5.3 Tires: 205 / 70 R15C 5.4 Wheel size: 7J x 15” Alloy 6 Dimension and Weight <ol style="list-style-type: none"> 6.1 Overall dimension (mm): 5,490 x 1,800 x 2,014 6.2 Wheelbase, mm – <i>3,100 minimum</i> 6.3 Tread: Front / Rear 7 Exterior <ol style="list-style-type: none"> 7.1 Headlamps – Multi-Reflector Halogen 7.2 Bumper – Resin 7.3 Front Grille – Resin 7.4 Outside Rear View Mirror – Resin 8. Interior <ol style="list-style-type: none"> 8.1 Seats - Front - Driver: Sliding/ Reclining with Headrest Passenger: Reclining with Headrest 	

	<p style="text-align: center;">Rear – 2 Row Split / Space up Seats</p> <p>8.2 Seat Material - Front – Vinyl Rear – Vinyl</p> <p>8.3 Steering Wheel – Urethane</p> <p>8.4 Meter gauges – Analog</p> <p>8.5 Inside Rear View Mirror – Day and Night</p> <p>8.6 Instrument Panel and Center Cluster – Black</p> <p>8.7 Shift Knob – Urethane</p> <p>8.8 Sunvisor – Driver (with ticket holder) and Passenger</p> <p>9. Function</p> <p>9.1 Air Conditioning System – Front Manual with Rear Aircon</p> <p>9.2 Audio System – 2-Din CD / Tuner/ MP3 / USB with Auxiliary input, 2 speakers</p> <p>10. Safety Features</p> <p>10.1 SRS Airbag – Driver (with knee) & Front Passenger</p> <p>10.2 Displacement- Front – 3 point ELR x 2 Pretensioner Force Limiter</p> <p>11 After Sales service</p> <p>11.1. Free Service (<i>labor</i>) – for the First 1,000 kilometers and 5,000 kilometers</p> <p>12. <i>One (1) year</i> Third Party Liability (TPL) Insurance and 3 years LTO Registration</p> <p>13. <i>Others</i></p> <p>13.1 <i>Tint</i></p> <p>13.2 <i>Matting Rust Proofing</i></p> <p>13.3 <i>EWD (Early Warning Device)</i></p> <p>13.4 <i>Umbrella</i></p> <p>13.5 <i>Seat Covers</i></p> <p>13.6 <i>Emergency tools (tire wrench, crocodile jack, etc.)</i></p> <p>13.7 <i>Spare Tire</i></p>	
--	---	--

2	<p><i>Lot II - SUPPLY AND DELIVERY OF TWO (2) UNITS MULTI UTILITY VEHICLES, 2.8 DIESEL A/T</i></p> <p>TECHNICAL SPECIFICATIONS:</p> <p>1. Type of Vehicle: Multi Utility Vehicles (MUV), <i>Diesel A/T</i></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="text-align: left;">OVERALL DIMENSIONS</th> </tr> <tr> <td style="width: 50%;">Length x Width x Height, mn</td> <td>5,265 x 1,950 x 1,990</td> </tr> <tr> <td>Wheelbase, mn</td> <td>3,210</td> </tr> <tr> <td>Ground Clearance, mm</td> <td>175</td> </tr> <tr> <td>Minimum Tire Tuning Radius, m</td> <td>5.5</td> </tr> <tr> <td><i>Fuel Tank capacity, Liters</i></td> <td><i>65-75</i></td> </tr> <tr> <td>Seating Capacity, pax</td> <td>12</td> </tr> <tr> <th colspan="2" style="text-align: left;">ENGINE AND TRANSMISSION</th> </tr> </table>	OVERALL DIMENSIONS		Length x Width x Height, mn	5,265 x 1,950 x 1,990	Wheelbase, mn	3,210	Ground Clearance, mm	175	Minimum Tire Tuning Radius, m	5.5	<i>Fuel Tank capacity, Liters</i>	<i>65-75</i>	Seating Capacity, pax	12	ENGINE AND TRANSMISSION		
OVERALL DIMENSIONS																		
Length x Width x Height, mn	5,265 x 1,950 x 1,990																	
Wheelbase, mn	3,210																	
Ground Clearance, mm	175																	
Minimum Tire Tuning Radius, m	5.5																	
<i>Fuel Tank capacity, Liters</i>	<i>65-75</i>																	
Seating Capacity, pax	12																	
ENGINE AND TRANSMISSION																		



Engine Technology	4 cylinders, In-Line Type
Type	16-Valve DOHC
Displacement, cc	2,755
Maximum Output	176/3,400
Maximum Torque	450/1,600-2,400
Transmission	6-Speed Automatic
CHASSIS	
Suspension, Front/Rear	McPherson Strut / Rigid Axle, Leaf Spring
<i>Brakes</i>	Ventilated Discs/Drum
Steering System	Variable Power Steering
Tires/Wheels	235/65R16C Alloy
EXTERIOR	
Headlamp	Bi-beam Multi-Reflector Halogen with Integrated Turn Lamp
Front Foglamps	With Foglamps
Daytime Running Lights	
Wiper, Front/Rear	Intermittent Time Adjustment with Mist/Intermittent Mist
Rear Window Defogger	With Timer
INTERIOR	
Instrument panel, Meter Gauge / Multi-info Display	Analog with Digital Trip Meter
Accessory Connector, Front	12V x 2
Rr. No. 1	With (2 pieces)
Rr. No. 2	With (2 pieces)
Glove box	
Steering Column	Manual Tilt and Telescopic Adjustable
Front Center Console Box	With Console Box
Front personal Lamp	With Lamp (Driver and Passenger)
Room lamp	
Sunvisor	Driver and Passenger
Rear View Mirror	Day and Night
Assist Grip	Front, Rear and Seat
Seat	
Driver	Slide, Recline and Vertical adjust
Front Passenger	Slide and Recline Adjust
Head Rest	Front (Adjustable), Rear (Adjustable)
Rr. No. 1	3 (Bench Type with Individual Recline)
Rr. No. 2	2+1 (Bench Type with Individual Recline)
Rr. No. 3	2+ Bench Type 50:50 Space Up
Rr. No. 4	
Material	Fabric with Vinyl Leather
Rear Seat Pocket	With Seat Pocket
Carpet	Fabric

Cup/Bottle Holder	Front-Instrument Panel (3pcs) Door trim (2 pcs)
	Rear – (17 pcs)
Front Overlay Tray	
Front Overlay Tray	
Audio System	Display Audio with CD/DVD/MP3/FLAC with AUX, USB, Bluetooth, T-Link (for Apple & Android) and K2 Technology and 6 Speakers
Air conditioner	Dual, Manual Controls with Rear Vent
FUNCTION	
Power	Window – With Power (Driver/Front Passenger Auto Up-Down Door Lock- With Outside Rearview Mirror-Adjust and Retract
Steering Wheel Switch	Audio, Telephone Cruise Control
Wireless Door Lock	With Power
Illuminated Entry	Ignition Key + Lamp
Light Control System	With Light Control System
Door Ajar Warning	With Door Ajar Warning
Key remind Warning	With (Buzzer + Unlock Mechanism)
Light Remind Warning	With Light Remind Warning
SAFETY	
ABS (Anti-Lock Brake System)	With ABS
Vehicle Stability Control	With Brake Assist
Hill-Start Assist	With Hill Start Assist
SRS Airbag	Dual (Driver + Passenger)
Seat Belt	Front – 3 pt. ELR (2 pcs) Rear -3 pt. ELR (10 pcs)
High Mount Stop Lamp	With High Mount Stop Lamp
Vehicle Security System	Alarm with Immobilizer
Back Monitor	
Clearance & Back Sonar	With Clearance and Back Sonar(front: 2, Rear: 4)
<p>2. Color</p> <p>2.1. White or Black</p> <p>3. After Sales service</p> <p>3.1. Free Service (<i>labor</i>) – for the First 1,000 kilometers and 5,000 kilometers</p> <p>4. One (1) year Third Party Liability (TPL) Insurance and 3 years LTO Registration</p> <p>5. Others:</p> <p>5.1 Tint</p> <p>5.2 Matting Rust Proofing</p>	

	5.3 EWD (Early Warning Device) 5.4 Umbrella 5.5 Seat covers 5.6 Emergency tools (tire wrench, crocodile jack, etc.) 5.7 Spare Tire	
--	--	--

STATEMENT OF COMPLIANCE

Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered.

Note:

Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) **in accordance with Section 8.5.2 of the IRR;**

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (**Annex "A"**); **and**
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (**Section "B"**); **and**
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission or Original copy of Notarized Bid Securing Declaration (**Annex C"**); **and**
- (e) Conformity with the Technical Specifications (**Section VII**), which includes production/delivery schedule, manpower requirements, and/or after-sales/parts (**Section VI**), if applicable; **and**
- (f) Original duly signed Omnibus Sworn Statement (OSS) **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder (**Annex "D"**).

Financial Documents

- (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (**Annex "E"**) or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

- (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- (i) Original of duly signed and accomplished Financial Bid Form;

Other documentary requirements under RA No. 9184 (as applicable)

- (j) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (k) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

H
C