## AGREEMENT

## KNOW ALL MEN BY THESE PRESENTS:

This Agreement, entered into this \_\_\_\_\_ day of \_\_\_\_\_ 2024, in the City of Pasay, Philippines, by and between:

PHILIPPINE INTERNATIONAL CONVENTION CENTER INC., a government corporation created and existing by authority of Presidential Decree No. 520 dated July 23, 1974, as amended by Presidential Decree No. 710 with principal office at the PICC Complex, 1307 Pasay City, represented herein by its General Manager, RENATO B. PADILLA, hereinafter referred to as "PICCI".

and

VIVA SALES ENTERPRISES, a corporation duly organized and existing under the laws of the Republic of the Philippines with office address at 1739-1741 Oroquieta St., Sta Cruz, Manila and represented herein by its General Manager, JAIME IBARRA CHUA, duly authorized for the purpose, hereinafter referred to as "SUPPLIER".

## WITNESSETH: That-

WHEREAS, PICCI, through its Bids and Awards Committee (BAC), invited Bids for the Supply and Delivery of Various Hardware Supplies, Parts and Materials and has accepted a bid for Lot II – Masonry Materials from the SUPPLIER in the total amount of ONE MILLION FOURTEEN THOUSAND FIVE HUNDRED NINETY-FOUR PESOS (\$\mathbb{P}1,014,594.00), VAT Inclusive;

WHEREAS, the PICCI Management has approved, the award of the said procurement to the SUPPLIER, which offered the lowest calculated and responsive bid for Lot II – Masonry Materials;

Item	Qty.	Unit	Article /Description	Unit Price	Total Amount
	2	set	Hole Saw Cutting Set	950.00	1,900.00
₹			Must include the following size:	***************************************	
			3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),		
			1-1/4" (32mm), 1-1/2" (38mm),		
			1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),	***************************************	
			3" (76mm), 3-3/2" (89mm), 4" (102mm),		
			5" (127mm)		
			1/4inch (6mm) arbors		
			1 x reinforcing plate		
			1 x hex key		
			1 x Storage Box		
2	5	pcs	Ceramic/tile drill bit 5mm, diamond coated	105.00	525.00
3	5	pcs	Ceramic/tile drill bit 6mm, diamond coated	142.00	710.00
4	5	pcs	Ceramic/tile drill bit 8mm, diamond coated	218.00	1,090.00
5	5	pcs	Ceramic/tile drill bit 10mm, diamond coated	327.00	1,635.00



7			T				1
\$ 2 pcs Hole Saw Core Bit for tiles 65mm 350.00 700.0  9 2 pcs Hole Saw Core Bit for tiles 80mm 410.00 320.0  10 2 pcs Hole Saw Core Bit for tiles 80mm 410.00 320.0  11 2 pcs Hole Saw Core Bit for tiles 100mm 482.00 964.4  11 2 pcs Hole Saw Core Bit for tiles 100mm 482.00 964.0  12 200 pcs Small sand sack (sako) 10.00 2,000.0  13 3 pcs Inspect Somm Masonry Drill bit, sds plus, 6mm - working length 150mm Masonry Drill bit, sds plus, 10mm - working length 150mm 15 2 pcs Masonry Drill bit, sds plus, 10mm - working length 150mm Masonry Drill bit, sds plus, 12mm - working length 150mm 173.00 346.0  16 3 pcs Masonry Drill bit, sds plus, 12mm - working length 150mm Masonry Drill bit, sds plus, 12mm - working length 150mm 18 3 pcs length 400mm 19 2 pcs length 400mm 19 2 pcs length 400mm 10 20 300 pcs Lock washer 3/8" 0.78 234.0  10 20 300 pcs Lock washer 3/8" 0.78 234.0  11 50 pcs Rubber wheel stopper 183cm x 15cm x 10cm, 3,560.00 178,000 black and yellow 22 220 gd Concrete sealer, applicable to stamped 1,100.00 242,000 Exterior weather durability Coverage: 15sqm / 4L / coat Drying Time: 4 hours prior to recoating Method of application: brush, roller & spray 24 20 compressive Strength; 228days -3625psi 24 20 compressive Strength; 228days -3625psi 24 20 compressive Strength; 228days -3625psi 24 25 20 tube 25		6	5	pcs	Ceramic/tile drill bit 12mm, diamond coated	479.00	2,395.00
9 2 pcs Hole Saw Core Bit for tiles 80mm 410.00 820.  10 2 pcs Hole Saw Core Bit for tiles 100mm 482.00 964.0  11 2 pcs Hole Saw Core Bit for two 6" dia 985.00 1.972.  12 200 pcs Small sand sack (sako) 10.00 2.000.  13 3 pcs Masonry Drill bit, sds plus, fomm - working length 50mm Masonry Drill bit, sds plus, 10mm - working length 150mm 15 2 pcs Masonry Drill bit, sds plus, 10mm - working length 150mm 482.00 446.0  16 3 pcs Masonry Drill bit, sds plus, 12mm - working length 150mm 483.00 173.00 346.0 189.0  17 2 pcs Masonry Drill bit, sds plus, 12mm - working length 150mm 173.00 346.0 188 3 pcs Masonry Drill bit, sds plus, 12mm - working length 400mm 188 3 pcs Masonry Drill bit, sds plus, 12mm - working length 150mm 158.00 474.0 199 pcs Masonry Drill bit, sds plus, 16mm - working length 150mm 158.00 474.0 199 pcs Masonry Drill bit, sds plus, 16mm - working length 150mm 158.00 474.0 199 pcs Masonry Drill bit, sds plus, 16mm - working length 400mm 20 300 pcs Lock washer 3/8" 0.78 234.0 178.00				pcs		330.00	660.00
10			ļ	pcs		350.00	700.00
11				pcs	10.0	410.00	820.00
12   200   pcs   Small sand sack (sako)   10.00   2,000.   1,900.   13   3   pcs   length 50mm   63.00   189.0   14   3   pcs   Masonry Drill bit, sds plus, 10mm - working   173.00   346.0   189.0   15   2   pcs   Masonry Drill bit, sds plus, 10mm - working   173.00   346.0   189.0   16   3   pcs   Masonry Drill bit, sds plus, 12mm - working   173.00   346.0   18   3   pcs   Masonry Drill bit, sds plus, 12mm - working   173.00   346.0   18   3   pcs   Masonry Drill bit, sds plus, 12mm - working   173.00   346.0   18   3   pcs   Masonry Drill bit, sds plus, 16mm - working   173.00   346.0   18   3   pcs   Masonry Drill bit, sds plus, 16mm - working   158.00   474.0   19   2   pcs   Masonry Drill bit, sds plus, 16mm - working   16   16   10   10   10   10   10   10	- 7		2	pcs	Hole Saw Core Bit for tiles 100mm	482.00	964.00
13   3   pcs   Masonry Drill bit, sds plus, 6mm - working length 50mm   63.00   189.			2	pcs	Hole Saw Core Bit for wood 6" dia	986.00	1,972.00
14   3   pcs   length 50mm   Masonry Drill bit, sds plus, 10mm - working   ength 150mm   Masonry Drill bit, sds plus, 10mm - working   173.00   346.0     16   3   pcs   length 400mm   Masonry Drill bit, sds plus, 12mm - working   141.00   423.0     17   2   pcs   length 400mm   Masonry Drill bit, sds plus, 12mm - working   173.00   346.0     18   3   pcs   length 400mm   Masonry Drill bit, sds plus, 12mm - working   158.00   474.0     18   3   pcs   length 400mm   Masonry Drill bit, sds plus, 16mm - working   158.00   474.0     19   2   pcs   Masonry Drill bit, sds plus, 16mm - working   158.00   474.0     20   300   pcs   Lock washer 3/s"   0.78   234.0     21   50   pcs   Rubber wheel stopper 183cm x 15cm x 10cm,   3,560.00   178,000     22   220   gal   concrete sealer, applicable to stamped   1,100.00   242,000     22   220   gal   concrete   Exterior weather durability   Coverage: 15sqm / 4L / coat     Drying Time: 4 hours prior to recoating   Method of application: brush, roller & spray     23   4   bag   Leak Plug, 25kg/bag   3,256.00   13,024.     Compressive Strength :	ę Ę	12	200	pcs		10.00	2,000.00
15   2   pcs   length 150mm   Masonry Drill bit, sds plus, 10mm - working length 400mm   173.00   346.0	1	13	3	pcs	length 50mm	63.00	189.00
16   3   pcs   length 400mm   Masonry Drill bit, sds plus, 12mm - working   length 150mm   173.00   346.0	M	14	3	pcs	length 150mm	90.00	270.00
17   2   pcs   Masonry Drill bit, sds plus, 12mm - working   173.00   346.0     18   3   pcs   Masonry Drill bit, sds plus, 16mm - working   158.00   474.0     19   2   pcs   Masonry Drill bit, sds plus, 16mm - working   158.00   474.0     19   2   pcs   Masonry Drill bit, sds plus, 16mm - working   160.00   720.0     20   300   pcs   Lock washer 3/8"   0.78   234.0     21   50   pcs   Rubber wheel stopper 183cm × 15cm × 10cm,   3,560.00   178,000		15	2	pcs	length 400mm	173.00	346.00
18   3   pcs		16	3	pcs	length 150mm	141.00	423.00
19   2   pcs		17	2	pcs	length 400mm	173.00	346.00
19		18	3	pcs	length 150mm	158.00	474.00
21   50   pcs   Rubber wheel stopper 183cm x 15cm x 10cm,   3,560.00   178,000				<del> </del>	length 400mm		720.00
black and yellow  Concrete sealer, applicable to stamped concrete  Exterior weather durability  Coverage: 15sqm / 4L / coat Drying Time: 4 hours prior to recoating Method of application: brush, roller & spray  Leak Plug, 25kg/bag Compressive Strength;  @2hrs -725psi @28days -3625psi  Low Viscosity Structural Epoxy Resin Crack injection repair,(500ml set)  Compressive Strength; @1day -3,000 - 4,000psi @1day -3,000 - 12,000psi @28days -10,000 - 12,000psi Tensile Strength - 5,000-6,000 psi  2-tube/set Chemical Anchor Structural Epoxy, Splitting Tensile Strength: >8.5Mpa Flexural Strength: >50Mpa				<del>  -</del>	- W-044	0.78	234.00
22   220   gal   Concrete sealer, applicable to stamped   1,100.00   242,000		21	50	pcs		3,560.00	178,000.00
Exterior weather durability   Coverage: 15sqm / 4L / coat   Drying Time: 4 hours prior to recoating   Method of application: brush, roller & spray							
Coverage: 15sqm / 4L / coat		22	220	gal	concrete	1,100.00	242,000.00
Drying Time: 4 hours prior to recoating	£						
Method of application: brush, roller & spray		<b>\</b>			Coverage: 15sqm / 4L / coat		
23   4   bag   Leak Plug, 25kg/bag   3,256.00   13,024.     Compressive Strength;   (@2hrs -725psi   (@28days -3625psi   (24   20   tubeset   Low Viscosity Structural Epoxy Resin   1,133.00   22,660.     Crack injection repair,(500ml set)   (Compressive Strength;   (@1day -3,000 - 4,000psi   (@7days -8,000 - 10,000psi   (@28days -10,000 - 12,000psi   (@28days -10,000 - 12,000psi   (2-tube/set   25   20   tubeset   Chemical Anchor Structural Epoxy,   972.00   19,440.00   Splitting Tensile Strength: >8.5Mpa   Flexural Strength: >50Mpa   Flexural Strength: >50Mpa   (Compressive Strength - 5,000 - 6,000 psi   (Chemical Anchor Structural Epoxy,   972.00   19,440.00   (Chemical Strength: >50Mpa   (Chemical		)	****				
Compressive Strength;   Galaxy - 725psi   Galaxy - 3625psi   Galaxy - 3600   Galaxy							
@2hrs -725psi       @28days -3625psi         24       20       tube-set       Low Viscosity Structural Epoxy Resin       1,133.00       22,660.         Crack injection repair,(500ml set)       Compressive Strength;         @1day -3,000 - 4,000psi       @1day -8,000 - 10,000psi         @28days -10,000 - 12,000psi       Tensile Strength - 5,000-6,000 psi         2-tube/set       2-tube/set         25       20       tube-set         Splitting Tensile Strength: >8.5Mpa       Flexural Strength: >50Mpa		23	4	bag	Leak Plug, 25kg/bag	3,256.00	13,024.00
24       20       tube-set       Low Viscosity Structural Epoxy Resin       1,133.00       22,660.         Crack injection repair,(500ml set)       Compressive Strength;       (20)	- the state of the				Compressive Strength;		
24         20         tube-set         Low Viscosity Structural Epoxy Resin         1,133.00         22,660.           Crack injection repair,(500ml set)         Compressive Strength;         (20 day -3,000 - 4,000psi         (20 day -3,000 - 10,000psi         (20 day -3,000 - 10,000psi         (20 day -3,000 - 12,000psi         (20 day -3,000 - 12,000psi<					@2hrs -725psi		
24   20   set   Low Viscosity Structural Epoxy Resin   1,133.00   22,660.					@28days -3625psi		
Compressive Strength;   @1day -3,000 - 4,000psi   @7days -8,000 - 10,000psi   @28days -10,000 - 12,000psi   Tensile Strength - 5,000-6,000 psi   2-tube/set   Chemical Anchor Structural Epoxy,   972.00   19,440.0   Splitting Tensile Strength: >8.5Mpa   Flexural Strength: >50Mpa		24	20		Low Viscosity Structural Epoxy Resin	1,133.00	22,660.00
@1day -3,000 - 4,000psi	_				Crack injection repair,(500ml set)		
@7days -8,000 - 10,000psi         @28days -10,000 - 12,000psi         Tensile Strength - 5,000-6,000 psi         25       20         tube-set       Chemical Anchor Structural Epoxy,       972.00         Splitting Tensile Strength: >8.5Mpa         Flexural Strength: >50Mpa			MIN TO THE TOTAL TOTAL TO THE THE TOTAL TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTA		Compressive Strength;		
@28days -10,000 - 12,000psi  Tensile Strength - 5,000-6,000 psi  2-tube/set  25 20 tube-set Chemical Anchor Structural Epoxy, 972.00 19,440.0  Splitting Tensile Strength: >8.5Mpa  Flexural Strength: >50Mpa					@1day -3,000 - 4,000psi		
Tensile Strength - 5,000-6,000 psi  2-tube/set  25 20 tube-set Chemical Anchor Structural Epoxy, 972.00 19,440.0  Splitting Tensile Strength: >8.5Mpa  Flexural Strength: >50Mpa					@7days -8,000 - 10,000psi		
2-tube/set  25 20 tube-set Chemical Anchor Structural Epoxy, 972.00 19,440.0  Splitting Tensile Strength: >8.5Mpa  Flexural Strength: >50Mpa					@28days -10,000 - 12,000psi		
25 20 tube-set Chemical Anchor Structural Epoxy, 972.00 19,440.0 Splitting Tensile Strength: >8.5Mpa Flexural Strength: >50Mpa					Tensile Strength - 5,000-6,000 psi		
Splitting Tensile Strength: >8.5Mpa  Flexural Strength: >50Mpa					2-tube/set		
Flexural Strength: >50Mpa	-	25	20	1	Chemical Anchor Structural Epoxy,	972.00	19,440.00
					Splitting Tensile Strength: >8.5Mpa		
Compressive Strength: >60Mpa					Flexural Strength: >50Mpa		
omproporto Datenbut. Octobre					Compressive Strength: >60Mpa		
26 4 gal- set High Viscosity Concrete Epoxy 4,268.00 17,072.0		26	4	1	High Viscosity Concrete Epoxy	4,268.00	17,072.00

				· ·	,
			Part A & B, 3.5liter/part		
			Tensile Strength:3,000+-500psi		
			flexural Strength:7,000+-500psi		
25			Compressive Strength:8,500+-500psi		
27	5	bags	Concrete Patch (for pavement and flooring)	2,943.00	14,715.00
			25kg/bag		
			Rapid setting repair mortar for pavement and floors		
			Compressive Strength;		
			@3hrs - 2,500 psi		
			@1day - 4,000 psi		
			@28days - 6,500psi		
28	6	gal- set	Low Viscosity Concrete Epoxy	5,644.00	33,864.00
		500	Part A & B, 3.5liter/part		
			Tensile Strength:4,500+-5000psi		
			Flexural Strength:8,000+-5000psi		
			Compressive Strength:7,000+-5000psi		
29	2	pail	Curing Solution- Emulsion base, 20liters/pail	956.00	1,912.00
30	7	<del>-</del>	Cementitious pre-packed repair mortar,		
		bags	25kg/bag	901.00	6,307.00
31	40	Tube	Multi purposed adhesive and sealant	416.00	16,640.00
			280ml / tube, Color: white, Odorless		
······	_		Stress at 100% Elongation ca.0.8Mpa		
			Tensile Strength ca. 1.8Mpa		
			Elongation to break ca. 500%		
32	15	bag	Skim coat / Thin Plastering Mortar	551.00	8,265.00
<b>\</b>		ļ	20kg / bag, Color: White		
<u>)                                    </u>			Bonding strength at 28 days:@1mm: 290; @3mm:217psi		
33	20	bag	Tile Adhesive	345.00	6,900.00
34	20	bag	Waterproof Tile Grout, 2kg/bag, color: summer beige	86.00	1,720.00
35	20	bag	Waterproof Tile Grout, 2kg/bag, color: white	77.00	1,540.00
36	150	gal	Water Repellent Matte Finish sealer	1,684.00	252,600.00
			Sealer for concrete, brickworks, natural stone, paver,		
****			precast concrete and cement fiberboards		
37	100	Tube	Silicone Sealant, Mold-Resistant Sanitary	415.00	41,500.00
			Color: White		
			270ml / tube		
38	350	tube	General Purpose Neutral Cure Sealant	210.00	73,500.00
	ļ		Color: Black		
1			270ml / tube		
			Cure type: Oxime		
			Density: 1.37 g/cm3		
			Modulus@ 100%: 0.60 N/mm2		
			Tensile Strength: 0.68 N/mm2		



			Elongation: 470%		
39	110	tube	Weather Resistant Neutral Cure Sealant	265.00	29,150.00
			300g/tube		, , , , , , , , , , , , , , , , , , , ,
			Cure type: Oxime		
			Density: 1.37 g/cm3		
			Modulus@ 100%: 0.49 N/mm2		
			Tensile Strength: 0.61 N/mm2		
			Elongation: 590%(ultimate)		
40	10	can	Expandable PU Foam Sealant	480.00	4,800.00
			750 ml / can		
41	10	rol1	Aluminum Butyl Flashing Tape	370.00	3,700.00
			75mm x 3m per roll		
42	3	roll	Copper Tube 3/8" dia. x 10'	2,304.00	6,912.00

## NOW THEREFORE, the parties hereby agree and covenant as follows:

In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Special Conditions of Contract and in the Technical Specification of the bid documents;

The following documents shall be deemed to form and be read and construed as part of this Agreement, viz:

- a. The Bid Proposal Form submitted on May 13, 2024;
- b. Eligibility, Technical, Financial Documents and Post Qualification Documents;
- c. Section VI Schedule of Requirements;
- d. Section VII Technical Specifications;
- e. Section III Bid Data Sheet;
- f. Section IV General Conditions of Contract;
- g. Section V Special Conditions of Contract;
- h. Performance Security; and
- i. Notice of Award.

In consideration of the payments to be made by the PICCI to the SUPPLIER as hereinafter mentioned, the SUPPLIER hereby covenants with the PICCI to undertake the completion of the delivery in accordance with the Schedule of Requirements, and to remedy defects therein in conformity in all respects with the provisions of the Contract;

The PICCI hereby covenants to pay the SUPPLIER in consideration of the completion of the delivery and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the time and in the manner prescribed by the contract.



IN WITNESS WHEREOF, the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines, on the day and year first above written.

PHILIPPINE INTERNATIONAL CONVENTION CENTER, INC.

(PICCI)

VIVA SALES ENTERPRISES (SUPPLIER)

By:

RENATOB: PADILLA General Manager By:

JAIME IBARRA CHUA General Manager

SIGNED IN THE PRESENCE OF:

EDISON I. AURELIO

BIANÇA CHUA SY

ACKNOWLEDGEMENT

REPUBLIC OF THE PHILIPPINES)

PASAY CITY

) S.S

BEFORE ME, a Notary Public, for and in the City of Pasay, personally appeared:

RENATO B. PADILLA, in his capacity as General Manager, PICCI, with PICC TIN 001-114-766 and JAIME IBARRA CHUA in his capacity as General Manager, Viva Sales Enterprises with his TIN 103-919-881, both known to me and to me known to be the same persons who executed the foregoing Agreement consisting of four (4) pages including this page where the acknowledgement is written signed on each and every pages thereof by the parties and their witnesses; other attachments enumerated on page one (1) of this Agreement are considered part and parcel of this document; the parties further acknowledged to me that the same are their free acts and voluntary deeds.

WITNESS MY HAND AND NOTARIAL SEAL on this 2023, in Pasay City, Philippines

JUL 0<sub>da</sub>1, 2024

Doc. No.

Book No.

Page No.

Series of 2023

NOTARY PUBLIC

ATTY, JOHN EDWARD TRIVIDAD AND

Notary Public for City of Manife-Xintil 12-31-24 Motarial Come Issian No. 2023-091

2nd Floor Midland Pieza Potel, Adoptico St., Ermita, Mia.

IND NO. 329200-0 Jan. 3, 2024

P.T.R NO. 1535522- Jan 3, 2024 at Manila ROLL NO. 68731 .MCLE COMPLIANCE NO. VII-0011675-04/14